$T_{E}X$ in 2001

are we still up-to-date?

In desk top applications, text and graphic can be put anywhere on the page.

Fonts, spacing, color and all relevant aspects of text can be influenced.

T_EX is more restrictive in some aspects, or at least suggest less flexibility because macros try to be clever as well as provide limited functionality.

T_EX is a potential winner when it comes to combining graphics but designers don't think that way.

Desk top application come with good manuals, examples, courses and support. 001

In desk top applications, text and graphic can be put anywhere on the page.

Fonts, spacing, color and all relevant aspects of text can be influenced.

T_EX is more restrictive in some aspects, or at least suggest less flexibility because macros try to be clever as well as provide limited functionality.

T_EX is a potential winner when it comes to combining graphics but designers don't think_that way.

Desk top application come with good manuals, examples, courses and support. 001

In desk top applications, text and graphic can be put anywhere on the page.

Fonts, spacing, color and all relevant aspects of text can be influenced.

T_EX is more restrictive in some aspects, or at least suggest less flexibility because macros try to be clever as well as provide limited functionality.

T_EX is a potential winner when it comes to combining graphics but designers don't think that way.

Desk top application come with good manuals, examples, courses and support. 001

In desk top applications, text and graphic can be put anywhere on the page.

Fonts, spacing, color and all relevant aspects of text can be influenced.

 T_EX is more restrictive in some aspects, or at least suggest less flexibility because macros try to be clever as well as provide limited functionality.

T_EX is a potential winner when it comes to combining graphics but designers don't think that way.

Desk top application come with good manuals, examples, courses and support. 001

In desk top applications, text and graphic can be put anywhere on the page.

Fonts, spacing, color and all relevant aspects of text can be influenced.

 T_EX is more restrictive in some aspects, or at least suggest less flexibility because macros try to be clever as well as provide limited functionality.

T_EX is a potential winner when it comes to combining graphics but designers don't think that way.

Desk top application come with good manuals, examples, courses and support. 001

In desk top applications, text and graphic can be put anywhere on the page.

Fonts, spacing, color and all relevant aspects of text can be influenced.

 T_EX is more restrictive in some aspects, or at least suggest less flexibility because macros try to be clever as well as provide limited functionality.

T_EX is a potential winner when it comes to combining graphics but designers don't think that way.

Desk top application come with good manuals, examples, courses and support.

001

In desk top applications, text and gra put anywhere on the page.

Fonts, spacing, color and all relevant text can be influenced.

T_EX is more restrictive in some aspects suggest less flexibility because macrc clever as well as provide limited func

T_EX is a potential winner when it con bining graphics but designers don't way.

Desk top application come with goo examples, courses and support.

Conceptual Limitations

If you want batch, you need to catch a lot of border cases in advance.

If you open a possibility, you also provide an opening to inconsistency and (in case of a reprogrammable system) misuse.

But, since some control is wanted, the impossible is often not needed. So, providing structured control also provides stability.

In desk top applications, text and gra put anywhere on the page.

Fonts, spacing, color and all relevant text can be influenced.

T_EX is more restrictive in some aspects suggest less flexibility because macrc clever as well as provide limited func

T_EX is a potential winner when it con bining graphics but designers don't way.

Desk top application come with goo examples, courses and support.

Conceptual Limitations

If you want batch, you need to catch a lot of border cases in advance.

If you open a possibility, you also provide an opening to inconsistency and (in case of a reprogrammable system) misuse.

But, since some control is wanted, the impossible is often not needed. So, providing structured control also provides stability.

In desk top applications, text and gra put anywhere on the page.

Fonts, spacing, color and all relevant text can be influenced.

T_EX is more restrictive in some aspects suggest less flexibility because macrc clever as well as provide limited func

T_EX is a potential winner when it con bining graphics but designers don't way.

Desk top application come with goo examples, courses and support.

Conceptual Limitations

If you want batch, you need to catch a lot of border cases in advance.

If you open a possibility, you also provide an opening to inconsistency and (in case of a reprogrammable system) misuse.

But, since some control is wanted, the impossible is often not needed. So, providing structured control also provides stability.

In desk top applications, text and gra put anywhere on the page.

Fonts, spacing, color and all relevant text can be influenced.

T_EX is more restrictive in some aspects suggest less flexibility because macrc clever as well as provide limited func

T_EX is a potential winner when it con bining graphics but designers don't way.

Desk top application come with goo examples, courses and support.

Conceptual Limitations

If you want batch, you need to catch a lot of border cases in advance.

If you open a possibility, you also provide an opening to inconsistency and (in case of a reprogrammable system) misuse.

But, since some control is wanted, the impossible is often not needed. So, providing structured control also provides stability.

In desk top applications, text and gra put anywhere on the page.

Fonts, spacing, color and all relevant text can be influenced.

T_EX is more restrictive in some aspects suggest less flexibility because macrc clever as well as provide limited func

T_EX is a potential winner when it con bining graphics but designers don't way.

Desk top application come with goo examples, courses and support.

Conceptual Limitations

If you want batch, you need to catch a lot of border cases in advance.

If you open a possibility, you also provide an opening to inconsistency and (in case of a reprogrammable system) misuse.

But, since some control is wanted, the impossible is often not needed. So, providing structured control also provides stability.

In desk top applications, text and gra put anywhere on the page.

Fonts, spacing, color and all relevant text can be influenced.

T_EX is more restrictive in some aspects suggest less flexibility because macrc clever as well as provide limited func

T_EX is a potential winner when it con bining graphics but designers don't way.

Desk top application come with goo examples, courses and suppo

Conceptual Limitations

If you want batch, you need to catch a lot of border cases in advance.

If you open a possibility, you also provide an opening to inconsistency and (in case of a reprogrammable system) misuse.

But, since some control is wanted, the impossible is often not needed. So, providing structured control also provides stability.

T_EX-like tools at first look slow, demanding, old fashioned but when introduced and supported properly can gain lifelong sympathy.

Competing with Authoring

Documents become more than alone text, so we need to provide interactive elements.

Depending on the technology used, such elements are fragile and not safe for the future.

So, at the same time we need to guard the traditional means of navigating documents.

Here, $T_E X$ can often go further than any other system, simply because it's programmable.

In desk top applications, text and gra put anywhere on the page.

Fonts, spacing, color and all relevant text can be influenced.

T_EX is more restrictive in some aspects suggest less flexibility because macrc clever as well as provide limited func

T_EX is a potential winner when it con bining graphics but designers don't way.

Desk top application come with goo examples, courses and suppo

Conceptual Limitations

If you want batch, you need to catch a lot of border cases in advance.

If you open a possibility, you also provide an opening to inconsistency and (in case of a reprogrammable system) misuse.

But, since some control is wanted, the impossible is often not needed. So, providing structured control also provides stability.

T_EX-like tools at first look slow, demanding, old fashioned but when introduced and supported properly can gain lifelong sympathy.

Competing with Authoring

Documents become more than alone text, so we need to provide interactive elements.

Depending on the technology used, such elements are fragile and not safe for the future.

So, at the same time we need to guard the traditional means of navigating documents.

Here, T_EX can often go further than any other system, simply because it's programmable.

In desk top applications, text and gra put anywhere on the page.

Fonts, spacing, color and all relevant text can be influenced.

T_EX is more restrictive in some aspects suggest less flexibility because macrc clever as well as provide limited func

T_EX is a potential winner when it con bining graphics but designers don't way.

Desk top application come with acceptance and support

Conceptual Limitations

If you want batch, you need to catch a lot of border cases in advance.

If you open a possibility, you also provide an opening to inconsistency and (in case of a reprogrammable system) misuse.

But, since some control is wanted, the impossible is often not needed. So, providing structured control also provides stability.

T_EX-like tools at first look slow, demanding, old fashioned but when introduced and supported properly can gain lifelong sympathy.

Competing with Authoring

Documents become more than alone text, so we need to provide interactive elements.

Depending on the technology used, such elements are fragile and not safe for the future.

So, at the same time we need to guard the traditional means of navigating documents.

Here, $T_E X$ can often go further than any other system, simply because it's programmable.

In desk top applications, text and gra put anywhere on the page.

Fonts, spacing, color and all relevant text can be influenced.

T_EX is more restrictive in some aspects suggest less flexibility because macrc clever as well as provide limited func

T_EX is a potential winner when it con bining graphics but designers don't way.

Desk top application come with acceptance and support

Conceptual Limitations

If you want batch, you need to catch a lot of border cases in advance.

If you open a possibility, you also provide an opening to inconsistency and (in case of a reprogrammable system) misuse.

But, since some control is wanted, the impossible is often not needed. So, providing structured control also provides stability.

T_EX-like tools at first look slow, demanding, old fashioned but when introduced and supported properly can gain lifelong sympathy.

Competing with Authoring

Documents become more than alone text, so we need to provide interactive elements.

Depending on the technology used, such elements are fragile and not safe for the future.

So, at the same time we need to guard the traditional means of navigating documents.

Here, T_EX can often go further than any other system, simply because it's programmable.

In desk top applications, text and gra put anywhere on the page.

Fonts, spacing, color and all relevant text can be influenced.

T_EX is more restrictive in some aspects suggest less flexibility because macrc clever as well as provide limited func

T_EX is a potential winner when it con bining graphics but designers don't way.

Desk top application come with app examples, courses and support

Conceptual Limitations

If you want batch, you need to catch a lot of border cases in advance.

If you open a possibility, you also provide an opening to inconsistency and (in case of a reprogrammable system) misuse.

But, since some control is wanted, the impossible is often not needed. So, providing structured control also provides stability.

T_EX-like tools at first look slow, demanding, old fashioned but when introduced and supported properly can gain lifelong sympathy.

Competing with Authoring

Documents become more than alone text, so we need to provide interactive elements.

Depending on the technology used, such elements are fragile and not safe for the future.

So, at the same time we need to guard the traditional means of navigating documents.

Here, T_EX can often go further than any other system, simply because it's programmable.

In desk top applications, text and gra put anywhere on the page.

Fonts, spacing, color and all relevant text can be influenced.

T_EX is more restrictive in some aspects suggest less flexibility because macrc clever as well as provide limited func

TorY is a notontial animner auton it con

Competing with Fashion

There is a difference between making a rough sketch and a real product.

A proof of concept is not per definition a proof of usability.

When properly supported, and accompanied with the righ tools and methods, demanding authors are willing to use T_EX.

We have to make sure that *I_EX* can do most of the (decent) things that designers want to do.

We also need to educate designers in automatic document processing: its weaknesses and strength.

Conceptual Limitations

If you want batch, you need to catch a lot of border cases in advance.

If you open a possibility, you also provide an opening to inconsistency and (in case of a reprogrammable system) misuse.

But, since some control is wanted, the impossible is often not needed. So, providing structured control also provides stability.

> t first look slow, demanding, old ien introduced and supported proplong sympathy.

luthoring

than alone text, so we need to ets.

ogy used, such elements are fragile e.

eed to guard the traditional means

In desk top applications, text and gra put anywhere on the page.

Fonts, spacing, color and all relevant text can be influenced.

T_EX is more restrictive in some aspects suggest less flexibility because macrc clever as well as provide limited func

TorY is a notontial animner auton it con

Competing with Fashion

There is a difference between making a rough sketch and a real product.

A proof of concept is not per definition a proof o usability.

When properly supported, and accompanied with the righ tools and methods, demanding authors are willing to use T_EX.

We have to make sure that *I_EX* can do most of the (decent) things that designers want to do.

We also need to educate designers in automatic document processing: its weaknesses and strength.

Conceptual Limitations

If you want batch, you need to catch a lot of border cases in advance.

If you open a possibility, you also provide an opening to inconsistency and (in case of a reprogrammable system) misuse.

But, since some control is wanted, the impossible is often not needed. So, providing structured control also provides stability.

> t first look slow, demanding, old ien introduced and supported proplong sympathy.

luthoring

ogy used, such elements are fragile e.

eed to guard the traditional means

In desk top applications, text and gra put anywhere on the page.

Fonts, spacing, color and all relevant text can be influenced.

T_EX is more restrictive in some aspects suggest less flexibility because macrc clever as well as provide limited func

TorY is a notontial animner auton it con

Competing with Fashion

There is a difference between making a rough sketch and a real product.

A proof of concept is not per definition a proof oj usability.

When properly supported, and accompanied with the righ tools and methods, demanding authors are willing to use T_EX.

We have to make sure that *I_EX* can do most of the (decent) things that designers want to do.

We also need to educate designers in automatic document processing: its weaknesses and strength.

Conceptual Limitations

If you want batch, you need to catch a lot of border cases in advance.

If you open a possibility, you also provide an opening to inconsistency and (in case of a reprogrammable system) misuse.

But, since some control is wanted, the impossible is often not needed. So, providing structured control also provides stability.

> t first look slow, demanding, old ien introduced and supported proplong sympathy.

luthoring

than alone text, so we need to ets.

ogy used, such elements are fragile e.

eed to guard the traditional means

In desk top applications, text and gra put anywhere on the page.

Fonts, spacing, color and all relevant text can be influenced.

T_EX is more restrictive in some aspects suggest less flexibility because macrc clever as well as provide limited func

TorY is a notontial animner auton it con

Competing with Fashion

There is a difference between making a rough sketch and a real product.

A proof of concept is not per definition a proof of usability.

When properly supported, and accompanied with the righ tools and methods, demanding authors are willing to use T_EX.

We have to make sure that *I_EX* can do most of the (decent) things that designers want to do.

We also need to educate designers in automatic document processing: its weaknesses and strength.

Conceptual Limitations

If you want batch, you need to catch a lot of border cases in advance.

If you open a possibility, you also provide an opening to inconsistency and (in case of a reprogrammable system) misuse.

But, since some control is wanted, the impossible is often not needed. So, providing structured control also provides stability.

> t first look slow, demanding, old ien introduced and supported proplong sympathy.

luthoring

ogy used, such elements are fragile e.

eed to guard the traditional means

In desk top applications, text and gra put anywhere on the page.

Fonts, spacing, color and all relevant text can be influenced.

T_EX is more restrictive in some aspects suggest less flexibility because macrc clever as well as provide limited func

Try is a notontial animate auton it can

Competing with Fashion

There is a difference between making a rough sketch and a real product.

A proof of concept is not per definition a proof of usability.

When properly supported, and accompanied with the righ tools and methods, demanding authors are willing to use T_EX.

We have to make sure that *I_EX* can do most of the ((decent) things that designers want to do.

We also need to educate designers in automatic document processing: its weaknesses and strength.

Conceptual Limitations

If you want batch, you need to catch a lot of border cases in advance.

If you open a possibility, you also provide an opening to inconsistency and (in case of a reprogrammable system) misuse.

But, since some control is wanted, the impossible is often not needed. So, providing structured control also provides stability.

> t first look slow, demanding, old ien introduced and supported proplong sympathy.

luthoring

than alone text, so we need to ets.

ogy used, such elements are fragile e.

eed to guard the traditional means

In desk top applications, text and gra put anywhere on the page.

Fonts, spacing, color and all relevant text can be influenced.

T_EX is more restrictive in some aspects suggest less flexibility because macrc clever as well as provide limited func

TorY is a notontial animner auton it con

Competing with Fashion

There is a difference between making a rough sketch and a real product.

A proof of concept is not per definition a proof of usability.

When properly supported, and accompanied with the righ tools and methods, demanding authors are willing to use T_EX.

We have to make sure that T_EX can do most of the e (decent) things that designers want to do.

We also need to educate designers in automatic document processing: its weaknesses and strength.

Conceptual Limitations

If you want batch, you need to catch a lot of border cases in advance.

If you open a possibility, you also provide an opening to inconsistency and (in case of a reprogrammable system) misuse.

But, since some control is wanted, the impossible is often not needed. So, providing structured control also provides stability.

> t first look slow, demanding, old ien introduced and supported proplong sympathy.

luthoring

than alone text, so we need to ets.

ogy used, such elements are fragile e.

eed to guard the traditional means

For long, T_EX was the only affordable choice for typesetting math, so "anything was better than nothing". But times have changed.

More and more, graphics and color becomes natural in print an on desktops. What you see elsewhere, is what you want yourself.

We need to provide DTP <u>competing</u> output with a batch oriented program. Here we can use $T_{\rm E}X$'s strength to provide <u>multiple</u> products.

Since "everyone can be a typesetter", the budgets for design and production of documents are relatively low (even upto the unacceptable). But, <u>reuse</u> pays off.

Step by isolated step production is replaced by integrated workflows. The often tight schedules demand robust methods.

Since publishers want to be in business, we must keep an eye on <u>XML</u> and T_EX can handle that quite well. We can even benefit from it.

(meener) manyo mua monginero want

We also need to educate designers in automatic document processing: its weaknesses and strength.

ual Limitations

batch, you need to catch a lot of border ance.

ı possibility, you also provide an opening ency and (in case of a reprogrammable ıse.

ome control is wanted, the impossible is veded. So, providing structured control s stability.

> t first look slow, demanding, old ien introduced and supported proplong sympathy.

luthoring

ch

ng

than alone text, so we need to ts.

ogy used, such elements are fragile e.

he eed to guard the traditional means

For long, TEX was the only affordable choice for typesetting math, so "anything was better than nothing". But times have changed.

More and more, graphics and color becomes natural in print an on desktops. What you see elsewhere, is what you want yourself.

We need to provide DTP <u>competing</u> output with a batch oriented program. Here we can use $T_{\rm E}X$'s strength to provide <u>multiple</u> products.

Since "everyone can be a typesetter", the budgets for design and production of documents are relatively low (even upto the unacceptable). But, <u>reuse</u> pays off.

Step by isolated step production is replaced by integrated workflows. The often tight schedules demand robust methods.

Since publishers want to be in business, we must keep an eye on <u>XML</u> and T_EX can handle that quite well. We can even benefit from it.

(uccont) uningo unu ucompiono want

We also need to educate designers in automatic document processing: its weaknesses and strength.

ual Limitations

batch, you need to catch a lot of border ance.

ı possibility, you also provide an opening ency and (in case of a reprogrammable ıse.

ome control is wanted, the impossible is veded. So, providing structured control s stability.

> t first look slow, demanding, old ien introduced and supported proplong sympathy.

luthoring

ch

ng

than alone text, so we need to ts.

ogy used, such elements are fragile e.

he eed to guard the traditional means

For long, T_{EX} was the only affordable choice for typesetting math, so "anything was better than nothing". But times have changed.

More and more, graphics and color becomes natural in print an on desktops. What you see elsewhere, is what you want yourself.

We need to provide DTP <u>competing</u> output with a batch oriented program. Here we can use I_EX's strength to provide <u>multiple</u> products.

Since "everyone can be a typesetter", the budgets for design and production of documents are relatively low (even upto the unacceptable). But, <u>reuse</u> pays off.

Step by isolated step production is replaced by integrated workflows. The often tight schedules demand robust methods.

Since publishers want to be in business, we must keep an eye on <u>XML</u> and T_EX can handle that quite well. We can even benefit from it.

(uccont) uningo unu ucompiono want

We also need to educate designers in automatic document processing: its weaknesses and strength.

ual Limitations

batch, you need to catch a lot of border ance.

ı possibility, you also provide an opening ency and (in case of a reprogrammable ıse.

ome control is wanted, the impossible is veded. So, providing structured control s stability.

> t first look slow, demanding, old ien introduced and supported proplong sympathy.

luthoring

ch

ng

than alone text, so we need to ts.

ogy used, such elements are fragile e.

he eed to guard the traditional means

For long, T_EX was the only affordable choice for typesetting math, so "anything was better than nothing". But times have changed.

More and more, graphics and color becomes natural in print an on desktops. What you see elsewhere, is what you want yourself.

We need to provide DTP <u>competing</u> output with a batch oriented program. Here we can use T_{FX} 's strength to provide <u>multiple</u> products.

Since "everyone can be a typesetter", the budgets for design and production of documents are relatively low (even upto the unacceptable). But, <u>reuse</u> pays off.

Step by isolated step production is replaced by integrated workflows. The often tight schedules demand robust methods.

Since publishers want to be in business, we must keep an eye on <u>XML</u> and <u>FX</u> can handle that quite well. We can even <u>benefit</u> from it.

(uccont) iningo inut ucognero want

We also need to educate designers in automatic document processing: its weaknesses and strength.

ual Limitations

batch, you need to catch a lot of border ance.

t possibility, you also provide an opening ency and (in case of a reprogrammable tse.

ome control is wanted, the impossible is veded. So, providing structured control s stability.

> t first look slow, demanding, old ien introduced and supported proplong sympathy.

luthoring

ch

ng

than alone text, so we need to ts.

ogy used, such elements are fragile e.

he eed to guard the traditional means

For long, T_EX was the only affordable choice for typesetting math, so "anything was better than nothing". But times have changed.

More and more, graphics and color becomes natural in print an on desktops. What you see elsewhere, is what you want yourself.

We need to provide DTP <u>competing</u> output with a batch oriented program. Here we can use T_{FX} 's strength to provide <u>multiple</u> products.

Since "everyone can be a typesetter", the budgets for design and production of documents are relatively low (even upto the unacceptable). But, <u>reuse</u> pays off.

Step by isolated step production is replaced by integrated workflows. The often tight schedules demand robust methods.

Since publishers want to be in business, we must keep an eye on <u>XML</u> and T_EX can handle that quite well. We can even benefit from it.

(uccenter antingo that aconginero wan

We also need to educate designers in automatic document processing: its weaknesses and strength.

ual Limitations

batch, you need to catch a lot of border ance.

t possibility, you also provide an opening ency and (in case of a reprogrammable tse.

ome control is wanted, the impossible is veded. So, providing structured control s stability.

> t first look slow, demanding, old ien introduced and supported proplong sympathy.

luthoring

ng

than alone text, so we need to ts.

ogy used, such elements are fragile e.

he eed to guard the traditional means

For long, T_EX was the only affordable choice for typesetting math, so "anything was better than nothing". But times have changed.

More and more, graphics and color becomes natural in print an on desktops. What you see elsewhere, is what you want yourself.

We need to provide DTP <u>competing</u> output with a batch oriented program. Here we can use T_{FX} 's strength to provide <u>multiple</u> products.

Since "everyone can be a typesetter", the budgets for design and production of documents are relatively low (even upto the unacceptable). But, <u>reuse</u> pays off.

Step by isolated step production is replaced by integrated workflows. The often tight schedules demand robust methods.

Since publishers want to be in business, we must keep an eye on <u>XML</u> and I_EX can handle that quite well. We can even benefit from it.

(uccent) uningo unue acomputo was

We also need to educate designers in automatic document processing: its weaknesses and strength.

ual Limitations

batch, you need to catch a lot of border ance.

t possibility, you also provide an opening ency and (in case of a reprogrammable tse.

ome control is wanted, the impossible is veded. So, providing structured control s stability.

> t first look slow, demanding, old ien introduced and supported proplong sympathy.

luthoring

ng

than alone text, so we need to ts.

ogy used, such elements are fragile e.

he eed to guard the traditional means

For long, T_EX was the only affordable choice for typesetting math, so "anything was better than nothing". But times have changed.

More and more, graphics and color becomes natural in print an on desktops. What you see elsewhere, is what you want yourself.

We need to provide DTP <u>competing</u> output with a batch oriented program. Here we can use T_{FX} 's strength to provide <u>multiple</u> products.

Since "everyone can be a typesetter", the budgets for design and production of documents are relatively low (even upto the unacceptable). But, <u>reuse</u> pays off.

Step by isolated step production is replaced by integrated workflows. The often tight schedules demand robust methods.

Since publishers want to be in business, we must keep an eye on <u>XML</u> and $T_{\underline{F}}X$ can handle that quite well. We can even <u>benefit</u> from it.

(uccone) uningo unue uconginoro

We also need to educate designers in automatic document processing: its weaknesses and strength.

ual Limitations

batch, you need to catch a lot of border ance.

ı possibility, you also provide an opening ency and (in case of a reprogrammable ıse.

ome control is wanted, the impossible is veded. So, providing structured control s stability.

> t first look slow, demanding, old ien introduced and supported proplong sympathy.

luthoring

ng

than alone text, so we need to ts.

ogy used, such elements are fragile e.

he eed to guard the traditional means

For long, TFX was the only typesetting math, so "anyl nothing". But times have c

More and more, graphics and in print an on desktops. W is what you want yourself.

We need to provide DTP c a batch oriented program. strength to provide multiple

Since "everyone can be a ti for design and production atively low (even upto the reuse pays off.

Step by isolated step prod integrated workflows. The demand robust methods.

Since publishers want to be in pusities, we must keep an eye on XML and TFX can handle that quite well. We can even benefit from it.

[meener manyo mue mosymero want to

e.

eed to guard the traditional means he

For long, TFX was the only typesetting math, so "any nothing". But times have c

More and more, graphics and in print an on desktops. W is what you want yourself.

We need to provide DTP c a batch oriented program. strength to provide multiple

Since "everyone can be a ti for design and production atively low (even upto the reuse pays off.

Step by isolated step prod integrated workflows. The demand robust methods.

Since publishers want to be in pusities, we must keep an eye on XML and TFX can handle that quite well. We can even benefit from it.

[uccone] uningo unue aconginero wante co

Authors take part in the preparation of the final products. *Not seldom, they produce most of the product.*

e.

he leed to guard the traditional means

For long, TFX was the only typesetting math, so "any nothing". But times have c

More and more, graphics and in print an on desktops. W is what you want yourself.

We need to provide DTP c a batch oriented program. strength to provide multiple

Since "everyone can be a ti for design and production atively low (even upto the reuse pays off.

Step by isolated step prod integrated workflows. The demand robust methods.

Since publishers want to be in pusities, we must keep an eye on XML and TFX can handle that quite well. We can even benefit from it.

[meener manyo mue mosymero want to

Authors take part in the preparation of the final products. Not seldom, they produce most of the product.

In order to have some control, publishers can provide the tools, styles and/or strict rules.

e.

eed to guard the traditional means he

For long, TFX was the only typesetting math, so "anyl nothing". But times have c

More and more, graphics and in print an on desktops. W is what you want yourself.

We need to provide DTP c a batch oriented program. strength to provide multiple

Since "everyone can be a ti for design and production atively low (even upto the reuse pays off.

Step by isolated step prod integrated workflows. The demand robust methods.

Since publishers want to be in pusities, we must keep an eye on XML and TFX can handle that quite well. We can even benefit from it.

[meener manyo mue mosymore want to

Authors take part in the preparation of the final products. Not seldom, they produce most of the product.

In order to have some control, publishers can provide the tools, styles and/or strict rules.

If a separate design department is used, even not so complicated (math) texts can result in endless feedback-loops.

e.

he leed to guard the traditional means

For long, TFX was the only typesetting math, so "anyl nothing". But times have c

More and more, graphics and in print an on desktops. W is what you want yourself.

We need to provide DTP c a batch oriented program. strength to provide multiple

Since "everyone can be a ti for design and production atively low (even upto the reuse pays off.

Step by isolated step prod integrated workflows. The demand robust methods.

Since publishers want to be in pusities, we must keep an eye on XML and TFX can handle that quite well. We can even benefit from it.

(uccont) annyo mut worginero want to

Authors take part in the preparation of the final products. Not seldom, they produce most of the product.

In order to have some control, publishers can provide the tools, styles and/or strict rules.

If a separate design department is used, even not so complicated (math) texts can result in endless feedback-loops.

Being a wide spread tool, is no guarantee for being a good tool (this is true for TFX as well as commercial applications). Tools get kicked out on and off.

e.

he leed to guard the traditional means

For long, TFX was the only typesetting math, so "anyl nothing". But times have c

More and more, graphics and in print an on desktops. W is what you want yourself.

We need to provide DTP c a batch oriented program. strength to provide multiple

Since "everyone can be a ti for design and production atively low (even upto the reuse pays off.

Step by isolated step prod integrated workflows. The demand robust methods.

Since publishers want to be in pusities, we must keep an eye on XML and TFX can handle that quite well. We can even benefit from it.

(uccont) annyo and acommono want to

Authors take part in the preparation of the final products. Not seldom, they produce most of the product.

In order to have some control, publishers can provide the tools, styles and/or strict rules.

If a separate design department is used, even not so complicated (math) texts can result in endless feedback-loops.

Being a wide spread tool, is no guarantee for being a good tool (this is true for TFX as well as commercial applications). Tools get kicked out on and off.

Authors still want a certain level of control, but if the results are great, they are willing to accept limitations.

e.

he leed to guard the traditional means

For long, TFX was the only typesetting math, so "anyl nothing". But times have c

More and more, graphics and in print an on desktops. W is what you want yourself.

We need to provide DTP c a batch oriented program. strength to provide multiple

Since "everyone can be a ti for design and production atively low (even upto the reuse pays off.

Step by isolated step prod integrated workflows. The demand robust methods.

Since publishers want to be in pusities, we must keep an eye on XML and TFX can handle that quite well. We can even benefit from it.

(mecenter annyo mut morginero want to

Authors take part in the preparation of the final products. Not seldom, they produce most of the product.

In order to have some control, publishers can provide the tools, styles and/or strict rules.

If a separate design department is used, even not so complicated (math) texts can result in endless feedback-loops.

Being a wide spread tool, is no guarantee for being a good tool (this is true for TFX as well as commercial applications). Tools get kicked out on and off.

Authors still want a certain level of control, but if the results are great, they are willing to accept limitations.

Authors often have a clear picture of what they want to see in print, and today they print on their desktop.

e.

he leed to guard the traditional means

rther than any other system, simply

For long, TFX was the only typesetting math, so "anyl nothing". But times have c

More and more, graphics and in print an on desktops. W is what you want yourself.

We need to provide DTP c a batch oriented program. strength to provide multiple

Since "everyone can be a ti for design and production atively low (even upto the reuse pays off.

Step by isolated step prod integrated workflows. The demand robust methods.

(uccenter annyo come acorginero want

Since publishers want to be in pusiness, we muse keep an eye on XML and TFX can handle that quite well. We can even benefit from it.

Authors take part in the preparation of the final products. Not seldom, they produce most of the product.

In order to have some control, publishers can provide the tools, styles and/or strict rules.

If a separate design department is used, even not so complicated (math) texts can result in endless feedback-loops.

Being a wide spread tool, is no guarantee for being a good tool (this is true for TFX as well as commercial applications). Tools get kicked out on and off.

Authors still want a certain level of control, but if the results are great, they are willing to accept limitations.

Authors often have a clear picture of what they want to see in print, and today they print on their desktop.

In serving the authors, we must not forget the demands of publishers, especially the need for <u>reuse</u> of source code.

he leed to guard the traditional means

rther than any other system, simply

For long, TFX was the only typesetting math, so "anyl nothing". But times have c

More and more, graphics and in print an on desktops. W is what you want yourself.

We need to provide DTP c a batch oriented program. strength to provide multiple

Since "everyone can be a ti for design and production atively low (even upto the reuse pays off.

Step by isolated step prod integrated workflows. The demand robust methods.

Since publishers want to be in pusine keep an eye on <u>XML</u> and *T_FX* can quite well. We can even benefit from

(uccont) annyo mut worgitoro want to

We also need to educate designers in

Being a

tool (thi

Tools ge

Authors

are grea

Authors in print

In servi

publishe

Authors take part in the preparation of the final products. Not seldom, they produce most of the product.

In order to have some control, publishers can provide the tools, styles and/or strict rules.

If a separate design department is used, even not so complicated (n

User Demands

For long, TFX was the only typesetting math, so "anyl nothing". But times have c

More and more, graphics and in print an on desktops. W is what you want yourself.

We need to provide DTP c a batch oriented program. strength to provide multiple

Since "everyone can be a ti for design and production atively low (even upto the reuse pays off.

Step by isolated step prod integrated workflows. The demand robust methods.

Since publishers want to be in pusine keep an eye on <u>XML</u> and *T_FX* can quite well. We can even benefit from

(uccont) annyo mut worgitoro want to

We also need to educate designers in

Being a

tool (thi

Tools ge

Authors

are grea

Authors in print

In servi

publishe

Authors take part in the preparation of the final products. Not seldom, they produce most of the product.

In order to have some control, publishers can provide the tools, styles and/or strict rules.

If a separate design department is used, even not so complicated (n

User Demands

TFX is also also used by non-profit organizations, home users, those who are on their own, and those who want control (like science students).

For long, TFX was the only typesetting math, so "anyl nothing". But times have c

More and more, graphics and in print an on desktops. W is what you want yourself.

We need to provide DTP c a batch oriented program. strength to provide multiple

Since "everyone can be a ti for design and production atively low (even upto the <u>reuse</u> pays off.

Step by isolated step prod integrated workflows. The demand robust methods.

Since publishers want to be in pusine keep an eye on <u>XML</u> and TFX can quite well. We can even benefit from

(uccont) annyo mut worgitoro want to

We also need to educate designers in

Being a

tool (thi

Tools ge

Authors

are grea

Authors

in print

In servi

publishe

Authors take part in the preparation of the final products. Not seldom, they produce most of the product.

In order to have some control, publishers can provide the tools, styles and/or strict rules.

If a separate design department is used, even not so complicated (n

User Demands

TFX is also also used by non-profit organizations, home users, those who are on their own, and those who want control (like science students).

They want access to the whole bag of tricks, in a controlled way (and in TFX even using fonts is trickery).

For long, TFX was the only typesetting math, so "anyl nothing". But times have c

More and more, graphics and in print an on desktops. W is what you want yourself.

We need to provide DTP c a batch oriented program. strength to provide multiple

Since "everyone can be a ti for design and production atively low (even upto the <u>reuse</u> pays off.

Step by isolated step prod integrated workflows. The demand robust methods.

Since publishers want to be in pusine keep an eye on <u>XML</u> and *T_FX* can quite well. We can even benefit from

(mound) manyo mua mongino want to

We also need to educate designers in

Being a

tool (thi

Tools ge

Authors

are grea

Authors

in print

In servi

publishe

Authors take part in the preparation of the final products. Not seldom, they produce most of the product.

In order to have some control, publishers can provide the tools, styles and/or strict rules.

If a separate design department is used, even not so complicated (n

User Demands

TFX is also also used by non-profit organizations, home users, those who are on their own, and those who want control (like science students).

They want access to the whole bag of tricks, in a controlled way (and in TFX even using fonts is trickery).

Since they are willing to participate in experiments, this provides an ideal playground for new developments.

For long, TFX was the only typesetting math, so "anyl nothing". But times have c

More and more, graphics and in print an on desktops. W is what you want yourself.

We need to provide DTP c a batch oriented program. strength to provide multiple

Since "everyone can be a ti for design and production atively low (even upto the <u>reuse</u> pays off.

Step by isolated step prod integrated workflows. The demand robust methods.

Since publishers want to be in pusine keep an eye on <u>XML</u> and *T_FX* can quite well. We can even benefit from

(uccont) annyo mut worgitoro want to

We also need to educate designers in

Being a

tool (thi

Tools ge

Authors

are grea

Authors

in print

In servi

publishe

Authors take part in the preparation of the final products. Not seldom, they produce most of the product.

In order to have some control, publishers can provide the tools, styles and/or strict rules.

If a separate design department is used, even not so complicated (n

User Demands

TFX is also also used by non-profit organizations, home users, those who are on their own, and those who want control (like science students).

They want access to the whole bag of tricks, in a controlled way (and in TFX even using fonts is trickery).

Since they are willing to participate in experiments, this provides an ideal playground for new developments.

A bag of latest tricks can endanger a stable system, and in this T_{FX} is not different from other applications.

For long, TFX was the only typesetting math, so "anyl nothing". But times have c

More and more, graphics and in print an on desktops. W is what you want yourself.

We need to provide DTP c a batch oriented program. strength to provide multiple

Since "everyone can be a ti for design and production atively low (even upto the <u>reuse</u> pays off.

Step by isolated step prod integrated workflows. The demand robust methods.

Since publishers want to be in pusine keep an eye on <u>XML</u> and $T_E X$ can quite well. We can even benefit from

[meener manyo mue mosymero want to

We also need to educate designers in

Being a

tool (thi

Tools ge

Authors

are grea

Authors

in print

In servi

publishe

Authors take part in the preparation of the final products. Not seldom, they produce most of the product.

In order to have some control, publishers can provide the tools, styles and/or strict rules.

If a separate design department is used, even not so complicated (n

User Demands

TFX is also also used by non-profit organizations, home users, those who are on their own, and those who want control (like science students).

They want access to the whole bag of tricks, in a controlled way (and in TFX even using fonts is trickery).

Since they are willing to participate in experiments, this provides an ideal playground for new developments.

A bag of latest tricks can endanger a stable system, and in this T_{FX} is not different from other applications.

Apart from <u>trickery</u> we can try to tap the <u>power</u> of file formats as much as possible.

For long, TFX was the only typesetting math, so "anyl nothing". But times have c

More and more, graphics and in print an on desktops. W

System Characteristics

concepts will arise. * *

Authors take part in the preparation of the final products. Not seldom, they produce most of the product.

In order to have some control, publishers can provide the tools, styles and/or strict rules.

t is used, even not so compli-

by non-profit organizations, o are on their own, and those ke science students).

the whole bag of tricks, in d in TFX even using fonts is

to participate in experiments, playground for new develop-

s can endanger a stable sysis not different from other

For long, TFX was the only typesetting math, so "anyl nothing". But times have c

More and more, graphics and in print an on desktops. W

System Characteristics

concepts will arise. * *

Authors take part in the preparation of the final products. Not seldom, they produce most of the product.

In order to have some control, publishers can provide the tools, styles and/or strict rules.

t is used, even not so compli-

by non-profit organizations, o are on their own, and those ke science students).

the whole bag of tricks, in d in TFX even using fonts is

to participate in experiments, playground for new develop-

s can endanger a stable sysis not different from other

For long, TFX was the only typesetting math, so "anyl nothing". But times have c

More and more, graphics and in print an on desktops. W

System Characteristics

This is okay of you separate authoring and typesetting and

concepts will arise. * *

Authors take part in the preparation of the final products. Not seldom, they produce most of the product.

In order to have some control, publishers can provide the tools, styles and/or strict rules.

t is used, even not so compli-

by non-profit organizations, o are on their own, and those ke science students).

the whole bag of tricks, in d in TFX even using fonts is

to participate in experiments, playground for new develop-

s can endanger a stable sysis not different from other

For long, TFX was the only typesetting math, so "anyl nothing". But times have c

More and more, graphics and in print an on desktops. W

System Characteristics

This is okay of you separate authoring and typesetting and

concepts will arise. * *

Authors take part in the preparation of the final products. Not seldom, they produce most of the product.

In order to have some control, publishers can provide the tools, styles and/or strict rules.

t is used, even not so compli-

by non-profit organizations, o are on their own, and those ke science students).

the whole bag of tricks, in d in TFX even using fonts is

to participate in experiments, playground for new develop-

s can endanger a stable sysis not different from other

For long, TFX was the only typesetting math, so "anyl nothing". But times have c

More and more, graphics and in print an on desktops. W

System Characteristics

This is okay of you separate authoring and typesetting and

may change with faster systems. Mixed DTP and batch

Authors take part in the preparation of the final products. Not seldom, they produce most of the product.

In order to have some control, publishers can provide the tools, styles and/or strict rules.

t is used, even not so compli-

by non-profit organizations, o are on their own, and those ke science students).

the whole bag of tricks, in d in TFX even using fonts is

to participate in experiments, playground for new develop-

s can endanger a stable sysis not different from other

For long, TFX was the only typesetting math, so "anyl nothing". But times have c

More and more, graphics and in print an on desktops. W

System Characteristics

This is okay of you separate authoring and typesetting and

may change with faster systems. Mixed DTP and batch

Authors take part in the preparation of the final products. Not seldom, they produce most of the product.

In order to have some control, publishers can provide the tools, styles and/or strict rules.

t is used, even not so compli-

by non-profit organizations, o are on their own, and those ke science students).

the whole bag of tricks, in d in TFX even using fonts is

to participate in experiments, playground for new develop-

s can endanger a stable sysis not different from other

With the advance of highly structured formats, like XML, more verbose code gains attentions. In T_EX we can used mix those approaches.

Since such formats pose strong limitations, for T_EX life has become easier.

A pitfall is that the problems (i.e. automated processing) have hardly changed, at least not for highend products.

If we want original products, we still need flexible systems. In this respect TEX is still a good choice.

In many cases, flexibility and/or original solutions come not out-of-the-box (yet).

Due to far better PR, XML and related tools gain much more attention than T_EX, and we can <u>learn</u> from that.

For most users, batch processing is a strange thing but this may change with faster systems. Mixed DTP and batch concepts will arise. $\pm \pm$

Whatever you do, if you want to reuse your information, you must have a bit of feeling for coding in the right way. Exploiting this is not <u>trivial</u>.

e preparation of the final products. e most of the product.

ttrol, publishers can provide the tools,

t is used, even not so compli-

ation

1 and

oduce a lot. oduce by non-profit organizations, o are on their own, and those & science students).

the whole bag of trick<u>s</u>, in d in T_EX even using fonts is

to participate in experiments, playground for new develop-

s can endanger a stable sys-C is not different from other

With the advance of highly structured formats, like XML, more verbose code gains attentions. In T_{EX} we can used mix those approaches.

Since such formats pose strong limitations, for T_EX life has become easier.

A pitfall is that the problems (i.e. automated processing) have hardly changed, at least not for highend products.

If we want original products, we still need flexible systems. In this respect TEX is still a good choice.

In many cases, flexibility and/or original solutions come not out-of-the-box (yet).

Due to far better PR, XML and related tools gain much more attention than T_EX, and we can <u>learn</u> from that.

For most users, batch processing is a strange thing but this may change with faster systems. Mixed DTP and batch concepts will arise. $\pm \pm$

Whatever you do, if you want to reuse your information, you must have a bit of feeling for coding in the right way. Exploiting this is not <u>trivial</u>.

e preparation of the final products. e most of the product.

ttrol, publishers can provide the tools,

t is used, even not so compli-

ation

1 and

oduce a lot. oduce by non-profit organizations, o are on their own, and those & science students).

the whole bag of trick<u>s</u>, in d in T_EX even using fonts is

to participate in experiments, playground for new develop-

ş can endanger a stable sys-C is not different from other

With the advance of highly structured formats, like XML, more verbose code gains attentions. In T_{EX} we can used mix those approaches.

Since such formats pose strong limitations, for T_{EX} life has become easier.

A pitfall is that the problems (i.e. automated processing) have hardly changed, at least not for highend products.

If we want original products, we still need flexible systems. In this respect T_EX is still a good choice.

In many cases, flexibility and/or original solutions come not out-of-the-box (yet).

Due to far better PR, XML and related tools gain much more attention than T_EX, and we can <u>learn</u> from that.

For most users, batch processing is a strange thing but this may change with faster systems. Mixed DTP and batch concepts will arise. $\underline{\star} \underline{\star}$

Whatever you do, if you want to reuse your information, you must have a bit of feeling for coding in the right way. Exploiting this is not <u>trivial</u>.

e preparation of the final products. e most of the product.

ttrol, publishers can provide the tools,

t is used, even not so compli-

ation

1 and

oduce a lot. oduce by non-profit organizations, o are on their own, and those & science students).

the whole bag of trick<u>s</u>, in d in T_EX even using fonts is

to participate in experiments, playground for new develop-

s can endanger a stable sys-C is not different from other

With the advance of highly structured formats, like XML, more verbose code gains attentions. In T_{EX} we can used mix those approaches.

Since such formats pose strong limitations, for T_{EX} life has become easier.

A pitfall is that the problems (i.e. automated processing) have hardly changed, at least not for highend products.

If we want original products, we still need flexible systems. In this respect T_EX is still a good choice.

In many cases, flexibility and/or original solutions come not out-of-the-box (yet).

Due to far better PR, XML and related tools gain much more attention than T_EX, and we can <u>learn</u> from that.

For most users, batch processing is a strange thing but this may change with faster systems. Mixed DTP and batch concepts will arise. $\underline{\star} \underline{\star}$

Whatever you do, if you want to reuse your information, you must have a bit of feeling for coding in the right way. Exploiting this is not <u>trivial</u>.

e preparation of the final products. e most of the product.

trol, publishers can provide the tools,

t is used, even not so compli-

ation

1 and

oduce a lot. oduce by non-profit organizations, o are on their own, and those & science students).

the whole bag of tricks, in d in T_EX even using fonts is

to participate in experiments, playground for new develop-

s can endanger a stable sys-C is not different from other

With the advance of highly structured formats, like XML, more verbose code gains attentions. In $T_{\rm E}X$ we can used mix those approaches.

Since such formats pose strong limitations, for T_{EX} life has become easier.

A pitfall is that the problems (i.e. automated processing) have hardly changed, at least not for highend products.

If we want original products, we still need flexible systems. In this respect T_{EX} is still a good choice.

In many cases, flexibility and/or original solutions come not out-of-the-box (yet).

Due to far better PR, XML and related tools gain much more attention than T_EX, and we can <u>learn</u> from that.

For most users, batch processing is a strange thing but this may change with faster systems. Mixed DTP and batch concepts will arise. $\underline{\star} \underline{\star}$

Whatever you do, if you want to reuse your information, you must have a bit of feeling for coding in the right way. Exploiting this is not <u>trivial</u>.

e preparation of the final products. e most of the product.

ttrol, publishers can provide the tools,

t is used, even not so compli-

ation

i and

a lot. Iduce by non-profit organizations, o are on their own, and those & science students).

the whole bag of tricks, in d in T_EX even using fonts is

to participate in experiments, playground for new develop-

s can endanger a stable sys-C is not different from other

With the advance of highly structured formats, like XML, more verbose code gains attentions. In $T_{\rm E}X$ we can used mix those approaches.

Since such formats pose strong limitations, for T_{EX} life has become easier.

A pitfall is that the problems (i.e. automated processing) have hardly changed, at least not for highend products.

If we want original products, we still need flexible systems. In this respect T_{EX} is still a good choice.

In many cases, flexibility and/or original solutions come not out-of-the-box (yet).

Due to far better PR, XML and related tools gain much more attention than T_EX, and we can <u>learn</u> from that.

For most users, batch processing is a strange thing but this may change with faster systems. Mixed DTP and batch concepts will arise. $\underline{\star} \underline{\star}$

Whatever you do, if you want to reuse your information, you must have a bit of feeling for coding in the right way. Exploiting this is not <u>trivial</u>.

e preparation of the final products. e most of the product.

ttrol, publishers can provide the tools,

t is used, even not so compli-

ation

i and

oduce a lot. oduce by non-profit organizations, o are on their own, and those & science students).

the whole bag of tricks, in d in T_EX even using fonts is

to participate in experiments, playground for new develop-

ş can endanger a stable sys-C is not different from other

With the advance of highly structured formats, like XML, more verbose code gains attentions. In $T_{\rm E}X$ we can used mix those approaches.

Since such formats pose strong limitations, for T_{EX} life has become easier.

A pitfall is that the problems (i.e. automated processing) have hardly changed, at least not for highend products.

If we want original products, we still need flexible systems. In this respect $T_{\underline{F}}X$ is still a good choice.

In many cases, flexibility and/or original solutions come not out-of-the-box (yet).

Due to far better PR, XML and related tools gain much more attention than $T_{\rm E}X$, and we can <u>learn</u> from <u>that</u>.

For most users, batch processing is a strange thing but this may change with faster systems. Mixed DTP and batch concepts will arise. $\pm \pm$

Whatever you do, if you want to reuse your information, you must have a bit of feeling for coding in the right way. Exploiting this is not <u>trivial</u>.

e preparation of the final products. e most of the product.

ttrol, publishers can provide the tools,

t is used, even not so compli-

ation

by non-profit organizations, o are on their own, and those & science students).

the whole bag of tricks, in d in T_EX even using fonts is

a lot. pduce to participate in experiments, playground for new develop-

> s can endanger a stable sys-C is not different from other

