

This is pdfTeX, Version 3.1415926-2.4-1.40.13 (TeX Live 2012) (format=pdflatex  
 2012.6.30) 11 APR 2013 13:37  
 entering extended mode  
 restricted \writel8 enabled.  
 %&-line parsing enabled.  
 \*\*PNASTWOS.TEX  
 (./PNASTWOS.TEX  
 LaTeX2e <2011/06/27>  
 Babel <v3.8m> and hyphenation patterns for english, dumylang, nohyphenation, ge  
 rman-x-2012-05-30, ngerman-x-2012-05-30, afrikaans, ancientgreek, ibycus, arabi  
 c, armenian, basque, bulgarian, catalan, pinyin, coptic, croatian, czech, danis  
 h, dutch, ukenglish, usenglishmax, esperanto, estonian, ethiopic, farsi, finnis  
 h, french, friulan, galician, german, ngerman, swissgerman, monogreek, greek, h  
 ungarian, icelandic, assamese, bengali, gujarati, hindi, kannada, malayalam, ma  
 rathi, oriya, panjabi, tamil, telugu, indonesian, interlingua, irish, italian,  
 kurmanji, latin, latvian, lithuanian, mongolian, mongolianlmc, bokmal, nynorsk,  
 polish, portuguese, romanian, romansh, russian, sanskrit, serbian, serbianc, s  
 lovak, slovenian, spanish, swedish, turkish, turkmen, ukrainian, uppersorbian,  
 welsh, loaded.  
 (./pnastwo.cls

Two Column Journal Style for the  
 Proceedings of the National Academy of Science  
 Written by Amy Hendrickson, TeXnology, Inc., 9/04

This version is dated April 15, 2008

Document Class: pnastwo  
 \affilcount=\count79  
 \saveaffilcount=\count80  
 \c@fnaffilcount=\count81  
 \c@part=\count82  
 \c@section=\count83  
 \c@subsection=\count84  
 \c@subsubsection=\count85  
 \c@paragraph=\count86  
 \c@subparagraph=\count87  
 \c@figure=\count88  
 \c@table=\count89  
 \abovecaptionskip=\skip41  
 \belowcaptionskip=\skip42  
 \bibindent=\dimen102  
 \bibskip=\skip43  
 \footnum=\count90  
 \savefootnum=\count91  
 \abovefigcaptionskip=\skip44  
 \abovetabcaptionskip=\skip45  
 \abovetableskip=\skip46  
 \belowtabcaptionskip=\dimen103  
 \saveparskip=\dimen104  
 \captionskip=\dimen105  
 \PushOneColTopFig=\dimen106  
 \PushOneColBotFig=\dimen107

\PushOneColTopTab=\dimen108  
\PushOneColBotTab=\dimen109  
\PushTwoColTopFig=\dimen110  
\PushTwoColBotFig=\dimen111  
\PushTwoColTopTab=\dimen112  
\PushTwoColBotTab=\dimen113  
\intextfloatskip=\skip47  
\c@appfigure=\count92  
\c@apptable=\count93  
\c@appplate=\count94  
\checkforspace=\dimen114  
\savetopinsert=\box26  
\savebotinsert=\box27  
\secondsavetopinsert=\box28  
\secondsavebotinsert=\box29  
\firstcolbox=\box30  
\secondcolbox=\box31  
\thefirstbox=\box32  
\thesecondbox=\box33  
\firstcol=\dimen115  
\secondcol=\dimen116  
\checkheight=\dimen117  
\loopnum=\count95  
\firstcolsavefignum=\count96  
\footnotebox=\box34  
\ColUsed=\dimen118  
\FigSpace=\dimen119  
\testdblbotins=\box35  
\pageloopnum=\count97  
\endcolsavetopinsert=\box36  
\endcolsavebotinsert=\box37  
\testpagesize=\box38  
\savelastskip=\dimen120  
\partialpage=\box39  
\figandtabnumber=\count98  
\figandtabbox=\box40  
\pagefloatnumber=\count99  
\sizeoffloat=\box41  
\bogus=\count100  
\figinsert=\insert233  
\herebox=\box42  
\endfigbox=\box43  
\spanbox=\box44  
\dbltopins=\box45  
\dblbotins=\box46  
\dblbotskip=\skip48  
\dblfigandtabnumber=\count101  
\dblfigandtabbox=\box47  
\dblloopnum=\count102  
\savedblfigandtabnumber=\count103  
\dblspanherebox=\box48  
\captionwidth=\dimen121  
\widecaptionwidth=\dimen122  
\tablenoteloopnum=\count104  
\tablenotenum=\count105

```

\c@theorem=\count106
\c@lemma=\count107
\c@definition=\count108
\c@claim=\count109
\c@alemma=\count110
\c@remark=\count111
\tablewide=\box49
) (/usr/local/texlive/2012/texmf-dist/tex/latex/graphics/graphicx.sty
Package: graphicx 1999/02/16 v1.0f Enhanced LaTeX Graphics (DPC,SPQR)

(/usr/local/texlive/2012/texmf-dist/tex/latex/graphics/keyval.sty
Package: keyval 1999/03/16 v1.13 key=value parser (DPC)
\KV@toks@=\toks14
)
(/usr/local/texlive/2012/texmf-dist/tex/latex/graphics/graphics.sty
Package: graphics 2009/02/05 v1.0o Standard LaTeX Graphics (DPC,SPQR)

(/usr/local/texlive/2012/texmf-dist/tex/latex/graphics/trig.sty
Package: trig 1999/03/16 v1.09 sin cos tan (DPC)
)
(/usr/local/texlive/2012/texmf-dist/tex/latex/latexconfig/graphics.cfg
File: graphics.cfg 2010/04/23 v1.9 graphics configuration of TeX Live
)
Package graphics Info: Driver file: dvips.def on input line 91.

(/usr/local/texlive/2012/texmf-dist/tex/latex/graphics/dvips.def
File: dvips.def 1999/02/16 v3.0i Driver-dependant file (DPC,SPQR)
))
\Gin@req@height=\dimen123
\Gin@req@width=\dimen124
)
(./pnastwoF.sty

```

-----  
PostScript Fonts for PNAS One Column Journal Style  
April 8b, 2008

IMPORTANT: If you use font encoding, as in `\usepackage{Tlenc}`,  
please use it BEFORE `\usepackage{pnasfont}`, ie:

```

\documentclass{pnasone}
\usepackage{Tlenc}
\usepackage[driver name]{color}

```

```

\usepackage{pnas}
-----

```

! Font \footnotefont=hv at 6.0pt not loadable: Metric (TFM) file not found.  
1.165 \font\footnotefont\frutigermed at 6pt

? r

OK, entering \nonstopmode...

! Font \dropcapfont=hvb at 24.5pt not loadable: Metric (TFM) file not found.  
1.167 \font\dropcapfont=\frutigerbold at 24.5pt

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `I\font<same font id>=<substitute font name>'.

! Font \sideboxfont=hv at 6.0pt not loadable: Metric (TFM) file not found.  
1.168 \font\sideboxfont= \helvetica at 6pt

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `I\font<same font id>=<substitute font name>'.

! Font \footlinefont=hv at 7.0pt not loadable: Metric (TFM) file not found.  
1.171 \font\footlinefont=\frutiger at 7pt

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `I\font<same font id>=<substitute font name>'.

! Font \footlineit=hvo at 7.0pt not loadable: Metric (TFM) file not found.  
1.172 \font\footlineit=\helveticaoblique at 7pt

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `I\font<same font id>=<substitute font name>'.

! Font \foliofont=hvb at 7.0pt not loadable: Metric (TFM) file not found.  
1.173 \font\foliofont=\frutigerbold at 7pt

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `I\font<same font id>=<substitute font name>'.

! Font \titlefont=hvb at 22.0pt not loadable: Metric (TFM) file not found.  
1.175 ...titlefont=\frutigerboldcondensed at 22pt

% 24pt baseline

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `I\font<same font id>=<substitute font name>'.

! Font \authorfont=hvb at 9.0pt not loadable: Metric (TFM) file not found.  
1.176 \font\authorfont=\frutigerbold at 9pt

% 11 pt baseline

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `I\font<same font id>=<substitute font name>'.

! Font \affilfont=hv at 7.0pt not loadable: Metric (TFM) file not found.  
1.177 \font\affilfont=\frutiger at 7pt  
% 8pt baseline

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `I\font<same font id>=<substitute font name>'.

! Font \keywordfont=hv at 7.0pt not loadable: Metric (TFM) file not found.  
1.178 \font\keywordfont=\frutiger at 7pt  
% 8pt baseline

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `I\font<same font id>=<substitute font name>'.

! Font \copyrightfont=hv at 6.0pt not loadable: Metric (TFM) file not found.  
1.180 \font\copyrightfont=\frutiger at 6pt

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `I\font<same font id>=<substitute font name>'.

! Font \copyrighttextfont=hv at 6.0pt not loadable: Metric (TFM) file not found  
.  
1.181 \font\copyrighttextfont=\frutiger at 6pt

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `I\font<same font id>=<substitute font name>'.

! Font \xabstractfont=hvb at 8.0pt not loadable: Metric (TFM) file not found.  
1.184 \font\xabstractfont=\frutigerbold at 8pt

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `I\font<same font id>=<substitute font name>'.

! Font \abstractit=hvbo at 8.0pt not loadable: Metric (TFM) file not found.  
1.186 ...t\abstractit=\helveticaboldoblique at 8pt

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `I\font<same font id>=<substitute font name>'.

! Font \xbibfont=hvb at 6.0pt not loadable: Metric (TFM) file not found.  
1.189 \font\xbibfont=\frutigerbold at 6pt

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `I\font<same font id>=<substitute font name>'.

! Font \bibitfont=hvbo at 6.0pt not loadable: Metric (TFM) file not found.  
1.191 \font\bibitfont\helveticaboldoblique at 6pt

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `I\font<same font id>=<substitute font name>'.

! Font \bibbfont=hvb at 6.0pt not loadable: Metric (TFM) file not found.  
1.192 \font\bibbfont\helveticabold at 6pt

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `I\font<same font id>=<substitute font name>'.

! Font \materialfont=hv at 7.0pt not loadable: Metric (TFM) file not found.  
1.195 \font\materialfont=\frutiger at 7pt

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `I\font<same font id>=<substitute font name>'.

! Font \materialbfont=hvb at 7.0pt not loadable: Metric (TFM) file not found.  
1.196 \font\materialbfont=\helveticabold at 7pt

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `I\font<same font id>=<substitute font name>'.

! Font \materialitfont=hvo at 7.0pt not loadable: Metric (TFM) file not found.  
1.197 ...t\materialitfont=\helveticaoblique at 7pt

I wasn't able to read the size data for this font,

so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `I\font<same font id>=<substitute font name>'.

! Font \sectionfont=hvb at 9.0pt not loadable: Metric (TFM) file not found.  
1.200 \font\sectionfont=\frutigerblackCond at 9pt

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `I\font<same font id>=<substitute font name>'.

! Font \subsectionfont=hvb at 8.0pt not loadable: Metric (TFM) file not found.  
1.201 ... \subsectionfont=\frutigerblackCond at 8pt

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `I\font<same font id>=<substitute font name>'.

! Font \theoremfont=hvb at 8.0pt not loadable: Metric (TFM) file not found.  
1.204 \font\theoremfont=\frutigerbold at 8pt

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `I\font<same font id>=<substitute font name>'.

! Font \fignumfont=hvb at 7.0pt not loadable: Metric (TFM) file not found.  
1.207 \font\fignumfont=\frutigerbold at 7pt

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `I\font<same font id>=<substitute font name>'.

! Font \xfigtextfont=hv at 7.0pt not loadable: Metric (TFM) file not found.  
1.208 \font\xfigtextfont=\frutiger at 7pt

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `I\font<same font id>=<substitute font name>'.

! Font \tabletextfont=hv at 7.5pt not loadable: Metric (TFM) file not found.  
1.212 \font\tabletextfont=\frutiger at 7.5pt

I wasn't able to read the size data for this font,  
so I will ignore the font specification.

[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `I\font<same font id>=<substitute font name>'.

! Font \tablenotefont=hv at 6.0pt not loadable: Metric (TFM) file not found.  
1.213 \font\tablenotefont=\frutiger at 6pt

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `I\font<same font id>=<substitute font name>'.

! Font \tablenotebfont=hvb at 6.0pt not loadable: Metric (TFM) file not found.  
1.214 \font\tablenotebfont=\frutigerbold at 6pt

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `I\font<same font id>=<substitute font name>'.

! Font \tablenoteitfont=hvo at 6.0pt not loadable: Metric (TFM) file not found.  
1.215 ...t\tablenoteitfont=\frutigeroblique at 6pt

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `I\font<same font id>=<substitute font name>'.

! Font \tabtextfont=hvb at 8.0pt not loadable: Metric (TFM) file not found.  
1.216 \font\tabtextfont\frutigerbold at 8pt

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `I\font<same font id>=<substitute font name>'.

! Font \tabnumfont=hvb at 8.0pt not loadable: Metric (TFM) file not found.  
1.217 \font\tabnumfont\frutigerbold at 8pt

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `I\font<same font id>=<substitute font name>'.

! Font \footlinefont=hv at 7.0pt not loadable: Metric (TFM) file not found.  
1.219 \font\footlinefont=\frutiger at 7pt

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]



You might try inserting a different font spec;  
e.g., type `\font<same font id>=<substitute font name>'`.

! Font OTl/tir/m/n/9=tir at 9.0pt not loadable: Metric (TFM) file not found.  
<to be read again>

relax

1.373 \rm

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `\font<same font id>=<substitute font name>'`.

) (/usr/local/texlive/2012/texmf-dist/tex/latex/amsfonts/amssymb.sty  
Package: amssymb 2009/06/22 v3.00

(/usr/local/texlive/2012/texmf-dist/tex/latex/amsfonts/amsfonts.sty  
Package: amsfonts 2009/06/22 v3.00 Basic AMSFonts support  
\@emptytoks=\toks15  
\symAMSA=\mathgroup4  
\symAMSb=\mathgroup5  
LaTeX Font Info: Overwriting math alphabet `\mathfrak` in version `'bold'`  
(Font) U/euf/m/n --> U/euf/b/n on input line 96.  
)  
(/usr/local/texlive/2012/texmf-dist/tex/latex/amsmath/amsmath.sty  
Package: amsmath 2000/07/18 v2.13 AMS math features  
\@mathmargin=\skip49

For additional information on amsmath, use the `'?'` option.  
(/usr/local/texlive/2012/texmf-dist/tex/latex/amsmath/amstext.sty  
Package: amstext 2000/06/29 v2.01

(/usr/local/texlive/2012/texmf-dist/tex/latex/amsmath/amsgen.sty  
File: amsgen.sty 1999/11/30 v2.0  
\@emptytoks=\toks16  
\ex@=\dimen125  
)  
(/usr/local/texlive/2012/texmf-dist/tex/latex/amsmath/amsbsy.sty  
Package: amsbsy 1999/11/29 v1.2d  
\pmbraise@=\dimen126  
)  
(/usr/local/texlive/2012/texmf-dist/tex/latex/amsmath/amsopn.sty  
Package: amsopn 1999/12/14 v2.01 operator names  
)  
\inf@bad=\count112  
LaTeX Info: Redefining `\frac` on input line 211.  
\uproot@=\count113  
\leftroot@=\count114  
LaTeX Info: Redefining `\overline` on input line 307.  
\classnum@=\count115  
\DOTSCASE@=\count116  
LaTeX Info: Redefining `\ldots` on input line 379.  
LaTeX Info: Redefining `\dots` on input line 382.  
LaTeX Info: Redefining `\cdots` on input line 467.

```

\Mathstrutbox@=\box50
\strutbox@=\box51
\big@size=\dimen127
LaTeX Font Info:    Redefining font encoding OML on input line 567.
LaTeX Font Info:    Redefining font encoding OMS on input line 568.
\maccd@depth=\count117
\c@MaxMatrixCols=\count118
\dotsspace@=\muskip10
\c@parentequation=\count119
\dspbrk@lvl=\count120
\tag@help=\toks17
\row@=\count121
\column@=\count122
\maxfields@=\count123
\andhelp@=\toks18
\eqnshift@=\dimen128
\alignsep@=\dimen129
\tagshift@=\dimen130
\tagwidth@=\dimen131
\totwidth@=\dimen132
\lineht@=\dimen133
\@envbody=\toks19
\multlinegap=\skip50
\multlinetaggap=\skip51
\mathdisplay@stack=\toks20
LaTeX Info: Redefining \[ on input line 2666.
LaTeX Info: Redefining \] on input line 2667.
)
No file PNASTWOS.aux.
\openout1 = `PNASTWOS.aux'.

LaTeX Font Info:    Checking defaults for OML/cmm/m/it on input line 30.
LaTeX Font Info:    ... okay on input line 30.
LaTeX Font Info:    Checking defaults for T1/cmr/m/n on input line 30.
LaTeX Font Info:    ... okay on input line 30.
LaTeX Font Info:    Checking defaults for OT1/cmr/m/n on input line 30.
LaTeX Font Info:    ... okay on input line 30.
LaTeX Font Info:    Checking defaults for OMS/cmsy/m/n on input line 30.
LaTeX Font Info:    ... okay on input line 30.
LaTeX Font Info:    Checking defaults for OMX/cmex/m/n on input line 30.
LaTeX Font Info:    ... okay on input line 30.
LaTeX Font Info:    Checking defaults for U/cmr/m/n on input line 30.
LaTeX Font Info:    ... okay on input line 30.
(/usr/local/texlive/2012/texmf-dist/tex/generic/oberdiek/pdftexcmds.sty
Package: pdftexcmds 2011/11/29 v0.20 Utility functions of pdfTeX for LuaTeX (HO
)

(/usr/local/texlive/2012/texmf-dist/tex/generic/oberdiek/infwarerr.sty
Package: infwarerr 2010/04/08 v1.3 Providing info/warning/error messages (HO
)
(/usr/local/texlive/2012/texmf-dist/tex/generic/oberdiek/ifluatex.sty
Package: ifluatex 2010/03/01 v1.3 Provides the ifluatex switch (HO)
Package ifluatex Info: LuaTeX not detected.
)
(/usr/local/texlive/2012/texmf-dist/tex/generic/oberdiek/ltxcmds.sty

```

```

Package: ltxcmds 2011/11/09 v1.22 LaTeX kernel commands for general use (HO)
)
(/usr/local/texlive/2012/texmf-dist/tex/generic/oberdiek/ifpdf.sty
Package: ifpdf 2011/01/30 v2.3 Provides the ifpdf switch (HO)
Package ifpdf Info: pdfTeX in PDF mode is detected.
)
Package pdftexcmds Info: LuaTeX not detected.
Package pdftexcmds Info: \pdf@primitive is available.
Package pdftexcmds Info: \pdf@ifprimitive is available.
Package pdftexcmds Info: \pdfdraftmode found.
)
(/usr/local/texlive/2012/texmf-dist/tex/latex/oberdiek/epstopdf-base.sty
Package: epstopdf-base 2010/02/09 v2.5 Base part for package epstopdf

(/usr/local/texlive/2012/texmf-dist/tex/latex/oberdiek/grfext.sty
Package: grfext 2010/08/19 v1.1 Manage graphics extensions (HO)

(/usr/local/texlive/2012/texmf-dist/tex/generic/oberdiek/kvdefinekeys.sty
Package: kvdefinekeys 2011/04/07 v1.3 Define keys (HO)
))
(/usr/local/texlive/2012/texmf-dist/tex/latex/oberdiek/kvoptions.sty
Package: kvoptions 2011/06/30 v3.11 Key value format for package options (HO)

(/usr/local/texlive/2012/texmf-dist/tex/generic/oberdiek/kvsetkeys.sty
Package: kvsetkeys 2012/04/25 v1.16 Key value parser (HO)

(/usr/local/texlive/2012/texmf-dist/tex/generic/oberdiek/etexcmds.sty
Package: etexcmds 2011/02/16 v1.5 Avoid name clashes with e-TeX commands (HO)
Package etexcmds Info: Could not find \expanded.
(etexcmds)          That can mean that you are not using pdfTeX 1.50 or
(etexcmds)          that some package has redefined \expanded.
(etexcmds)          In the latter case, load this package earlier.
)))

Package epstopdf Warning: Drivers other than `pdftex.def' are not supported.

)
! Font OT1/tir/m/n/20.74=tir at 20.74pt not loadable: Metric (TFM) file not found.
<to be read again>
      relax
1.44 \maketitle

I wasn't able to read the size data for this font,
so I will ignore the font specification.
[Wizards can fix TFM files using TFtoPL/PLtoTF.]
You might try inserting a different font spec;
e.g., type `I\font<same font id>=<substitute font name>'.

Missing character: There is no A in font nullfont!
Missing character: There is no l in font nullfont!
Missing character: There is no m in font nullfont!
Missing character: There is no o in font nullfont!
Missing character: There is no s in font nullfont!
Missing character: There is no t in font nullfont!

```

[illegible]

LaTeX Font Info: Try loading font information for U+msa on input line 44.  
(/usr/local/texlive/2012/texmf-dist/tex/latex/amsfonts/umsa.fd  
File: umsa.fd 2009/06/22 v3.00 AMS symbols A  
)

LaTeX Font Info: Try loading font information for U+msb on input line 44.  
(/usr/local/texlive/2012/texmf-dist/tex/latex/amsfonts/umsb.fd  
File: umsb.fd 2009/06/22 v3.00 AMS symbols B  
)

Missing character: There is no , in font nullfont!  
Missing character: There is no J in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no v in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no d in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no R in font nullfont!  
Missing character: There is no u in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no z in font nullfont!  
Missing character: There is no G in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no c in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no , in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no d in font nullfont!  
Missing character: There is no F in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no k in font nullfont!  
Missing character: There is no l in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no S in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no y in font nullfont!

! Font OT1/tir/m/n/6=tir at 6.0pt not loadable: Metric (TFM) file not found.  
<to be read again>

relax

1.44 \maketitle

I wasn't able to read the size data for this font,  
so I will ignore the font specification.

[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type ``I\font<same font id>=<substitute font name>'`.

Missing character: There is no U in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no v in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no y in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no f in font nullfont!  
Missing character: There is no C in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no m in font nullfont!  
Missing character: There is no b in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no d in font nullfont!  
Missing character: There is no g in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no , in font nullfont!  
Missing character: There is no C in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no m in font nullfont!  
Missing character: There is no b in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no d in font nullfont!  
Missing character: There is no g in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no , in font nullfont!  
Missing character: There is no U in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no d in font nullfont!  
Missing character: There is no K in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no g in font nullfont!  
Missing character: There is no d in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no m in font nullfont!  
Missing character: There is no , in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no d in font nullfont!  
Missing character: There is no U in font nullfont!  
Missing character: There is no n in font nullfont!

[illegible]

[illegible]



```

Missing character: There is no s in font nullfont!
Missing character: There is no o in font nullfont!
Missing character: There is no f in font nullfont!
Missing character: There is no t in font nullfont!
Missing character: There is no h in font nullfont!
Missing character: There is no e in font nullfont!
Missing character: There is no U in font nullfont!
Missing character: There is no n in font nullfont!
Missing character: There is no i in font nullfont!
Missing character: There is no t in font nullfont!
Missing character: There is no e in font nullfont!
Missing character: There is no d in font nullfont!
Missing character: There is no S in font nullfont!
Missing character: There is no t in font nullfont!
Missing character: There is no a in font nullfont!
Missing character: There is no t in font nullfont!
Missing character: There is no e in font nullfont!
Missing character: There is no s in font nullfont!
Missing character: There is no o in font nullfont!
Missing character: There is no f in font nullfont!
Missing character: There is no A in font nullfont!
Missing character: There is no m in font nullfont!
Missing character: There is no e in font nullfont!
Missing character: There is no r in font nullfont!
Missing character: There is no i in font nullfont!
Missing character: There is no c in font nullfont!
Missing character: There is no a in font nullfont!
! Font OTl/tir/m/n/5=tir at 5.0pt not loadable: Metric (TFM) file not found.
<to be read again>
      relax
1.46 \begin{article}

```

I wasn't able to read the size data for this font,  
 so I will ignore the font specification.  
 [Wizards can fix TFM files using TFtoPL/PLtoTF.]  
 You might try inserting a different font spec;  
 e.g., type `\font<same font id>=<substitute font name>'`.

```

Missing character: There is no R in font nullfont!
Missing character: There is no e in font nullfont!
Missing character: There is no s in font nullfont!
Missing character: There is no e in font nullfont!
Missing character: There is no r in font nullfont!
Missing character: There is no v in font nullfont!
Missing character: There is no e in font nullfont!
Missing character: There is no d in font nullfont!
Missing character: There is no f in font nullfont!
Missing character: There is no o in font nullfont!
Missing character: There is no r in font nullfont!
Missing character: There is no P in font nullfont!
Missing character: There is no u in font nullfont!
Missing character: There is no b in font nullfont!
Missing character: There is no l in font nullfont!
Missing character: There is no i in font nullfont!
Missing character: There is no c in font nullfont!

```

Missing character: There is no a in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no F in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no s in font nullfont!  
! Font \it=hbvo at 8.0pt not loadable: Metric (TFM) file not found.  
\abstract ...ont \it \helveticaboldoblique at 8pt  
\font \bf \helveticabold a...  
1.47 \begin{abstract}

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `I\font<same font id>=<substitute font name>'.

! Font \bf=hvb at 8.0pt not loadable: Metric (TFM) file not found.  
\abstract ... 8pt \font \bf \helveticabold at 8pt  
\def \textit ##1{{\it ##1}}...  
1.47 \begin{abstract}

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `I\font<same font id>=<substitute font name>'.

! Font OT1/tir/m/n/8=tir at 8.0pt not loadable: Metric (TFM) file not found.  
<to be read again>  
relax  
1.47 \begin{abstract}

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `I\font<same font id>=<substitute font name>'.

! Font OT1/hv/m/n/8=hv at 8.0pt not loadable: Metric (TFM) file not found.  
<to be read again>  
relax  
1.47 \begin{abstract}

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]

You might try inserting a different font spec;  
e.g., type ``I\font<same font id>=<substitute font name>'`.

Missing character: There is no W in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no u in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no h in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no k in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no l in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no g in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no f in font nullfont!  
Missing character: There is no u in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no c in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no f in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no h in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no L in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no p in font nullfont!  
Missing character: There is no l in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no c in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no c in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no s in font nullfont!

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

Missing character: There is no q in font nullfont!  
Missing character: There is no u in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no . in font nullfont!  
LaTeX Font Info: Font shape `OT1/tir/bx/n' in size <9> not available  
(Font) Font shape `OT1/tir/b/n' tried instead on input line 74.  
! Font OT1/tir/bx/n/9=tib at 9.0pt not loadable: Metric (TFM) file not found.  
<to be read again>

relax

1.74 \end{equation}

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `\font<same font id>=<substitute font name>'`.

! Font \OT1/tir/b/n/9=nullfont not loadable: Metric (TFM) file not found.  
<to be read again>

\relax

1.74 \end{equation}

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `\font<same font id>=<substitute font name>'`.

Missing character: There is no [ in font nullfont!  
Missing character: There is no l in font nullfont!  
Missing character: There is no ] in font nullfont!  
Missing character: There is no w in font nullfont!  
Missing character: There is no h in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no , in font nullfont!  
Missing character: There is no [ in font nullfont!  
Missing character: There is no 2 in font nullfont!  
Missing character: There is no ] in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no d in font nullfont!  
Missing character: There is no , in font nullfont!  
Missing character: There is no [ in font nullfont!  
Missing character: There is no 3 in font nullfont!  
Missing character: There is no ] in font nullfont!  
Missing character: There is no F in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no s in font nullfont!

[illegible]

[illegible]

[illegible]



[illegible]

Missing character:	T	e	r	e		i	s		n	o		s		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		c		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		o		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		n		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		t		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		a		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		i		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		n		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		e		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		d		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		i		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		n		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		w		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		i		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		t		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		h		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		.		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		A		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		l		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		s		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		o		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		,		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		.		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		T		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		h		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		e																		

[illegible]

[illegible]

Missing character: There is no a in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no , in font nullfont!  
Missing character: There is no M in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no j in font nullfont!  
Missing character: There is no d in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no d in font nullfont!  
Missing character: There is no T in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no b in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no k in font nullfont!  
Missing character: There is no , in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no [ in font nullfont!  
Missing character: There is no ? in font nullfont!

LaTeX Warning: Citation `1' on page 1 undefined on input line 99.

Missing character: There is no ] in font nullfont!  
Missing character: There is no , in font nullfont!  
Missing character: There is no [ in font nullfont!  
Missing character: There is no ? in font nullfont!

LaTeX Warning: Citation `2' on page 1 undefined on input line 99.

Missing character: There is no ] in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no d in font nullfont!  
Missing character: There is no [ in font nullfont!  
Missing character: There is no ? in font nullfont!

LaTeX Warning: Citation `3' on page 1 undefined on input line 99.

Missing character: There is no ] in font nullfont!  
Missing character: There is no f in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no m in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no d in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no t in font nullfont!

[illegible]

Missing character: There is no o in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no h in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no h in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no c in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no l in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no d in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no u in font nullfont!  
Missing character: There is no m in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no c in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no l in font nullfont!  
Missing character: There is no . in font nullfont!  
Missing character: There is no S in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no [ in font nullfont!  
Missing character: There is no ? in font nullfont!

LaTeX Warning: Citation `4' on page 1 undefined on input line 101.

Missing character: There is no ] in font nullfont!  
Missing character: There is no , in font nullfont!  
Missing character: There is no [ in font nullfont!  
Missing character: There is no ? in font nullfont!

LaTeX Warning: Citation `5' on page 1 undefined on input line 101.

Missing character: There is no ] in font nullfont!  
Missing character: There is no , in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no d in font nullfont!  
Missing character: There is no [ in font nullfont!  
Missing character: There is no ? in font nullfont!

LaTeX Warning: Citation `6' on page 1 undefined on input line 102.

Missing character: There is no ] in font nullfont!  
Missing character: There is no . in font nullfont!  
Missing character: There is no T in font nullfont!

[illegible]



[illegible]

[illegible]

Missing character: There is no , in font nullfont!  
Missing character: There is no p in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no v in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no g in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no l in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no c in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no l in font nullfont!  
Missing character: There is no w in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no l in font nullfont!  
Missing character: There is no l in font nullfont!  
Missing character: There is no - in font nullfont!  
Missing character: There is no p in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no d in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no f in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no h in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no q in font nullfont!  
Missing character: There is no u in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no . in font nullfont!  
Missing character: There is no ( in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no [ in font nullfont!  
Missing character: There is no ? in font nullfont!

LaTeX Warning: Citation `ZhaZha' on page 1 undefined on input line 109.

Missing character: There is no ] in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no d in font nullfont!  
Missing character: There is no [ in font nullfont!  
Missing character: There is no ? in font nullfont!

LaTeX Warning: Citation `TSL' on page 1 undefined on input line 110.

Missing character: There is no ] in font nullfont!  
Missing character: There is no f in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no m in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no d in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no l in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no ) in font nullfont!  
Missing character: There is no . in font nullfont!  
Missing character: There is no T in font nullfont!  
Missing character: There is no h in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no p in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no b in font nullfont!  
Missing character: There is no l in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no m in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no c in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no u in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no d in font nullfont!  
Missing character: There is no y in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no m in font nullfont!  
Missing character: There is no i in font nullfont!

[illegible]

Missing character: There is no x in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no v in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no l in font nullfont!  
Missing character: There is no y in font nullfont!  
Missing character: There is no . in font nullfont!  
! Font OT1/tir/m/n/14.4=tir at 14.4pt not loadable: Metric (TFM) file not found

.  
<to be read again>  
relax

1.116 W  
e begin our analysis on almost sharp fronts for the  
I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `\font<same font id>=<substitute font name>'`.

LaTeX Font Info: Font shape ``OT1/tir/bx/n'` in size `<14.4>` not available  
(Font) Font shape ``OT1/tir/b/n'` tried instead on input line 116.  
! Font OT1/tir/bx/n/14.4=tib at 14.4pt not loadable: Metric (TFM) file not found.

<to be read again>  
relax

1.116 W  
e begin our analysis on almost sharp fronts for the  
I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `\font<same font id>=<substitute font name>'`.

! Font `\OT1/tir/b/n/14.4=nullfont` not loadable: Metric (TFM) file not found.

<to be read again>  
\relax

1.116 W  
e begin our analysis on almost sharp fronts for the  
I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `\font<same font id>=<substitute font name>'`.

Missing character: There is no A in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no l in font nullfont!  
Missing character: There is no y in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no i in font nullfont!

Missing character:	T	e	r	e		i	s		n	o		s		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		o		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		f		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		a		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		l		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		m		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		o		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		s		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		t		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		s		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		h		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		a		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		r		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		p		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		f		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		r		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		o		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		n		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		t		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		s		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		W		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		e		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		b		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		e		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		g		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o																				

[illegible]



[illegible]

Missing character: There is no n in font nullfont!  
Missing character: There is no l in font nullfont!  
Missing character: There is no . in font nullfont!  
! Font OT1/tir/m/it/9=tii at 9.0pt not loadable: Metric (TFM) file not found.  
<to be read again>

relax

1.122 A

bounded function  $\theta$  is a weak solution of QG if for any  
I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `\font<same font id>=<substitute font name>'`.

Missing character: There is no A in font nullfont!  
Missing character: There is no b in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no u in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no d in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no d in font nullfont!  
Missing character: There is no f in font nullfont!  
Missing character: There is no u in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no c in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no w in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no k in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no l in font nullfont!  
Missing character: There is no u in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no f in font nullfont!  
Missing character: There is no Q in font nullfont!  
Missing character: There is no G in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no f in font nullfont!  
Missing character: There is no f in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no a in font nullfont!

Missing character: There is no n in font nullfont!  
Missing character: There is no y in font nullfont!  
Missing character: There is no w in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no h in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no v in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no [ in font nullfont!  
Missing character: There is no 4 in font nullfont!  
Missing character: There is no ] in font nullfont!  
Missing character: There is no w in font nullfont!  
Missing character: There is no h in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no d in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no m in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no d in font nullfont!  
Missing character: There is no b in font nullfont!  
Missing character: There is no y in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no q in font nullfont!  
Missing character: There is no u in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no [ in font nullfont!  
Missing character: There is no ? in font nullfont!  
Missing character: There is no ? in font nullfont!

LaTeX Warning: Reference `qq2' on page 1 undefined on input line 132.

Missing character: There is no ] in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no d in font nullfont!  
Missing character: There is no [ in font nullfont!  
Missing character: There is no ? in font nullfont!  
Missing character: There is no ? in font nullfont!

LaTeX Warning: Reference `qq3' on page 1 undefined on input line 132.

Missing character: There is no ] in font nullfont!  
Missing character: There is no . in font nullfont!  
! Font OT1/tir/m/n/12=tir at 12.0pt not loadable: Metric (TFM) file not found.  
<to be read again>

relax

1.136 W

e are interested in studying the evolution of almost sharp fronts  
I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `\font<same font id>=<substitute font name>'`.

LaTeX Font Info: Font shape ``OT1/tir/bx/n'` in size `<12>` not available  
(Font) Font shape ``OT1/tir/b/n'` tried instead on input line 136.  
! Font OT1/tir/bx/n/12=tib at 12.0pt not loadable: Metric (TFM) file not found.  
<to be read again>

relax

1.136 W

e are interested in studying the evolution of almost sharp fronts  
I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `\font<same font id>=<substitute font name>'`.

! Font `\OT1/tir/b/n/12=nullfont` not loadable: Metric (TFM) file not found.  
<to be read again>

\relax

1.136 W

e are interested in studying the evolution of almost sharp fronts  
I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type `\font<same font id>=<substitute font name>'`.

Missing character: There is no D in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no S in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no u in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no c in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no . in font nullfont!  
Missing character: There is no W in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no i in font nullfont!

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

Missing character: There is no e in font nullfont!  
 Missing character: There is no r in font nullfont!  
 Missing character: There is no t in font nullfont!  
 Missing character: There is no h in font nullfont!  
 Missing character: There is no a in font nullfont!  
 Missing character: There is no n in font nullfont!  
 Missing character: There is no i in font nullfont!  
 Missing character: There is no n in font nullfont!  
 Missing character: There is no w in font nullfont!  
 Missing character: There is no h in font nullfont!  
 Missing character: There is no i in font nullfont!  
 Missing character: There is no c in font nullfont!  
 Missing character: There is no h in font nullfont!  
 Missing character: There is no c in font nullfont!  
 Missing character: There is no h in font nullfont!  
 Missing character: There is no a in font nullfont!  
 Missing character: There is no n in font nullfont!  
 Missing character: There is no g in font nullfont!  
 Missing character: There is no e in font nullfont!  
 Missing character: There is no s in font nullfont!  
 Missing character: There is no f in font nullfont!  
 Missing character: There is no r in font nullfont!  
 Missing character: There is no o in font nullfont!  
 Missing character: There is no m in font nullfont!  
 Missing character: There is no 0 in font nullfont!  
 Missing character: There is no t in font nullfont!  
 Missing character: There is no o in font nullfont!  
 Missing character: There is no l in font nullfont!  
 Missing character: There is no . in font nullfont!  
 Missing character: There is no ( in font nullfont!  
 Missing character: There is no s in font nullfont!  
 Missing character: There is no e in font nullfont!  
 Missing character: There is no e in font nullfont!  
 Missing character: There is no F in font nullfont!  
 Missing character: There is no i in font nullfont!  
 Missing character: There is no g in font nullfont!  
 Missing character: There is no u in font nullfont!  
 Missing character: There is no r in font nullfont!  
 Missing character: There is no e in font nullfont!  
 Missing character: There is no ? in font nullfont!  
 Missing character: There is no ? in font nullfont!

LaTeX Warning: Reference `afoto' on page 1 undefined on input line 145.

Missing character: There is no ) in font nullfont!  
 Missing character: There is no . in font nullfont!  
 Missing character: There is no T in font nullfont!  
 Missing character: There is no h in font nullfont!  
 Missing character: There is no a in font nullfont!  
 Missing character: There is no t in font nullfont!  
 Missing character: There is no m in font nullfont!  
 Missing character: There is no e in font nullfont!  
 Missing character: There is no a in font nullfont!  
 Missing character: There is no n in font nullfont!  
 Missing character: There is no s in font nullfont!

[illegible]

[illegible]



Missing character:	T	e	r	e		i	s		n	o	t		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!		
Missing character:	T	e	r	e		i	s		n	o		i		n		f	o	n	t		n	u	l	l	f	o	n	t	!		
Missing character:	T	e	r	e		i	s		n	o		o		i		n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		n		i		n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		[		i		n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		6		i		n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		]		i		n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		w		i		n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		i		i		n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		t		i		n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		h		i		n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		w		i		n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		h		i		n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		e		i		n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		r		i		n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		e		i		n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		d		i		n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		e		i		n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		p		i		n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		e		i		n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		n		i		n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		d		i		n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		s		i		n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		o		i		n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		n		i		n		f	o	n	t		n	u	l	l	f	o</			

Missing character: There is no o in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no [ in font nullfont!  
Missing character: There is no ? in font nullfont!  
Missing character: There is no ? in font nullfont!

LaTeX Warning: Reference ``theta'` on page 1 undefined on input line 182.

Missing character: There is no ] in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no p in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no c in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no f in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no h in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no f in font nullfont!  
Missing character: There is no u in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no c in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no u in font nullfont!  
Missing character: There is no p in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no f in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no d in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no . in font nullfont!  
Missing character: There is no T in font nullfont!  
Missing character: There is no h in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no m in font nullfont!

[illegible]



[illegible]

[illegible]

Missing character: There is no a in font nullfont!  
Missing character: There is no w in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no k in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no l in font nullfont!  
Missing character: There is no u in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no ( in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no [ in font nullfont!  
Missing character: There is no ? in font nullfont!  
Missing character: There is no ? in font nullfont!

LaTeX Warning: Reference ``weaksol'` on page 1 undefined on input line 190.

Missing character: There is no ] in font nullfont!  
Missing character: There is no ) in font nullfont!  
Missing character: There is no . in font nullfont!  
Missing character: There is no W in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no u in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no h in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no d in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no c in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no h in font nullfont!  
Missing character: There is no a in font nullfont!

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

Missing character: There is no o in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no : in font nullfont!  
LaTeX Font Info: Try loading font information for OMS+tir on input line 236.

LaTeX Font Info: No file OMStir.fd. on input line 236.

LaTeX Font Warning: Font shape `OMS/tir/m/n' undefined  
(Font) using `OMS/cmsy/m/n' instead  
(Font) for symbol `textbullet' on input line 236.

Missing character: There is no T in font nullfont!  
Missing character: There is no h in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no C in font nullfont!  
Missing character: There is no P in font nullfont!  
Missing character: There is no U in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no m in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no T in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no b in font nullfont!  
Missing character: There is no l in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no l in font nullfont!  
Missing character: There is no - in font nullfont!  
Missing character: There is no - in font nullfont!  
Missing character: There is no 3 in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no c in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no m in font nullfont!  
Missing character: There is no p in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no b in font nullfont!  
Missing character: There is no l in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no w in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no h in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no h in font nullfont!  
Missing character: There is no e in font nullfont!

[illegible]

[illegible]

[illegible]



Missing character:	T	e	r	e		i	s		n	o		D		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		i		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		g		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		i		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		t		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		a		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		l		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		R		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		N		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		A		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		S		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		N		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		P		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		A		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		n		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		a		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		l		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		y		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		s		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		i		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		s		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		.		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		A		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		r		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		e		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		a																		

[illegible]

[illegible]

[illegible]

[illegible]

Missing character: There is no e in font nullfont!  
 Missing character: There is no l in font nullfont!  
 Missing character: There is no l in font nullfont!  
 Missing character: There is no . in font nullfont!  
 Missing character: There is no D in font nullfont!  
 Missing character: There is no e in font nullfont!  
 Missing character: There is no t in font nullfont!  
 Missing character: There is no a in font nullfont!  
 Missing character: There is no i in font nullfont!  
 Missing character: There is no l in font nullfont!  
 Missing character: There is no s in font nullfont!  
 Missing character: There is no a in font nullfont!  
 Missing character: There is no r in font nullfont!  
 Missing character: There is no e in font nullfont!  
 Missing character: There is no g in font nullfont!  
 Missing character: There is no i in font nullfont!  
 Missing character: There is no v in font nullfont!  
 Missing character: There is no e in font nullfont!  
 Missing character: There is no n in font nullfont!  
 Missing character: There is no i in font nullfont!  
 Missing character: There is no n in font nullfont!  
 Missing character: There is no t in font nullfont!  
 Missing character: There is no h in font nullfont!  
 Missing character: There is no e in font nullfont!  
 Missing character: There is no S in font nullfont!  
 Missing character: There is no I in font nullfont!  
 Missing character: There is no M in font nullfont!  
 Missing character: There is no a in font nullfont!  
 Missing character: There is no t in font nullfont!  
 Missing character: There is no e in font nullfont!  
 Missing character: There is no r in font nullfont!  
 Missing character: There is no i in font nullfont!  
 Missing character: There is no a in font nullfont!  
 Missing character: There is no l in font nullfont!  
 Missing character: There is no s in font nullfont!  
 Missing character: There is no a in font nullfont!  
 Missing character: There is no n in font nullfont!  
 Missing character: There is no d in font nullfont!  
 Missing character: There is no M in font nullfont!  
 Missing character: There is no e in font nullfont!  
 Missing character: There is no t in font nullfont!  
 Missing character: There is no h in font nullfont!  
 Missing character: There is no o in font nullfont!  
 Missing character: There is no d in font nullfont!  
 Missing character: There is no s in font nullfont!  
 Missing character: There is no . in font nullfont!

Underfull \hbox (badness 10000) in paragraph at lines 247--254

[ ]

Missing character: There is no D in font nullfont!  
 Missing character: There is no i in font nullfont!  
 Missing character: There is no g in font nullfont!  
 Missing character: There is no i in font nullfont!

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

Missing character:	T	e	r	e		i	s		n	o		e		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		i	s		n	o		i		i	n		f	o	n	t		n	u	l	l	f	o	n	t	!
Missing character:	T	e	r	e		n			i	n		f	o	n	t		n	u	l	l	f	o	n	t	!					
Missing character:	T	e	r	e		d			i	n		f	o	n	t		n	u	l	l	f	o	n	t	!					
Missing character:	T	e	r	e		i			i	n		f	o	n	t		n	u	l	l	f	o	n	t	!					
Missing character:	T	e	r	e		v			i	n		f	o	n	t		n	u	l	l	f	o	n	t	!					
Missing character:	T	e	r	e		i			i	n		f	o	n	t		n	u	l	l	f	o	n	t	!					
Missing character:	T	e	r	e		d			i	n		f	o	n	t		n	u	l	l	f	o	n	t	!					
Missing character:	T	e	r	e		u			i	n		f	o	n	t		n	u	l	l	f	o	n	t	!					
Missing character:	T	e	r	e		a			i	n		f	o	n	t		n	u	l	l	f	o	n	t	!					
Missing character:	T	e	r	e		l			i	n		f	o	n	t		n	u	l	l	f	o	n	t	!					
Missing character:	T	e	r	e		e			i	n		f	o	n	t		n	u	l	l	f	o	n	t	!					
Missing character:	T	e	r	e		n			i	n		f	o	n	t		n	u	l	l	f	o	n	t	!					
Missing character:	T	e	r	e		t			i	n		f	o	n	t		n	u	l	l	f	o	n	t	!					
Missing character:	T	e	r	e		r			i	n		f	o	n	t		n	u	l	l	f	o	n	t	!					
Missing character:	T	e	r	e		i			n			i	n		f	o	n	t		n	u	l	l	f	o	n	t	!		
Missing character:	T	e	r	e		e			i	n		f	o	n	t		n	u	l	l	f	o	n	t	!					
Missing character:	T	e	r	e		s			i	n		f	o	n	t		n	u	l	l	f	o	n	t	!					
Missing character:	T	e	r	e		o			i	n		f	o	n	t		n	u	l	l	f	o	n	t	!					
Missing character:	T	e	r	e		f			i	n		f	o	n	t		n	u	l	l	f	o	n	t	!					
Missing character:	T	e	r	e		;			i	n		f	o	n	t		n	u	l	l	f	o	n	t	!					
Missing character:	T	e	r	e		i			i	n		f	o	n	t		n	u	l	l	f	o	n	t	!					
Missing character:	T	e	r	e		t			i	n		f	o	n	t		n	u	l	l	f	o	n	t	!					
Missing character:	T	e	r	e		r			i	n		f	o	n	t		n	u	l	l	f	o	n	t	!					
Missing character:	T	e	r	e		e			i	n		f	o	n	t		n	u	l	l	f	o	n	t	!					
Missing character:	T	e	r	e		q			i	n		f	o	n	t		n	u	l	l	f	o	n	t	!					
Missing character:	T	e	r	e		u			i	n		f	o	n	t		n	u	l	l	f	o	n	t	!					
Missing character:	T	e	r	e		i			i	n		f	o	n	t		n	u	l	l	f	o	n	t	!					
Missing character:	T	e	r	e		r			i	n		f	o	n	t		n	u	l	l	f	o	n	t	!					
Missing character:	T	e	r	e		e			i	n		f	o	n	t															

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

Missing character: There is no o in font nullfont!  
Missing character: There is no C in font nullfont!  
Missing character: There is no . in font nullfont!  
Missing character: There is no F in font nullfont!  
Missing character: There is no . in font nullfont!  
Missing character: There is no ) in font nullfont!  
Missing character: There is no . in font nullfont!  
! Font OT1/hv/m/n/5=hv at 5.0pt not loadable: Metric (TFM) file not found.  
<to be read again>

relax

1.281 \begin{thebibliography}{10}

I wasn't able to read the size data for this font,  
so I will ignore the font specification.  
[Wizards can fix TFM files using TFtoPL/PLtoTF.]  
You might try inserting a different font spec;  
e.g., type ``I\font<same font id>=<substitute font name>'`.

Missing character: There is no l in font nullfont!  
Missing character: There is no 0 in font nullfont!  
Missing character: There is no . in font nullfont!  
Missing character: There is no l in font nullfont!  
Missing character: There is no . in font nullfont!  
Missing character: There is no M in font nullfont!  
Missing character: There is no . in font nullfont!  
Missing character: There is no B in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no l in font nullfont!  
Missing character: There is no k in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no d in font nullfont!  
Missing character: There is no P in font nullfont!  
Missing character: There is no . in font nullfont!  
Missing character: There is no N in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no y in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no g in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no , in font nullfont!  
Missing character: There is no U in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no g in font nullfont!  
Missing character: There is no m in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no f in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no l in font nullfont!

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]





[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Missing character:	T		
Missing character:	e		
Missing character:	n		
Missing character:	e		
Missing character:	n		
Missing character:	b		
Missing character:	a		
Missing character:	u		
Missing character:	m		
Missing character:	,		
Missing character:	V		
Missing character:	.		
Missing character:	d		
Missing character:	e		
Missing character:	s		
Missing character:	i		
Missing character:	l		
Missing character:	v		
Missing character:	a		
Missing character:	,		
Missing character:	a		
Missing character:	n		
Missing character:	d		
Missing character:	J		
Missing character:	.		
Missing character:	L		
Missing character:	a		
Missing character:	n		
Missing character:	g		
Missing character:	f		
Missing character:	o		
Missing character:	r		
Missing character:	d		
Missing character:	, in		
Missing character:	A		
Missing character:	g		
Missing character:	l		
Missing character:	o		
Missing character:	b		
Missing character:	a		
Missing character:	l		
Missing character:	g		
Missing character:	e		
Missing character:	o		
Missing character:	m		
Missing character:	e		
Missing character:	t		
Missing character:	r		
Missing character:	i		
Missing character:	c		
Missing character:	f		
Missing character:	r		
Missing character:	a		
Missing character:	m		
Missing character:	e		

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Missing character: There is no I in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no u in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no N in font nullfont!  
Missing character: There is no u in font nullfont!  
Missing character: There is no m in font nullfont!  
Missing character: There is no b in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no l in font nullfont!  
Missing character: There is no - in font nullfont!  
Missing character: There is no - in font nullfont!  
Missing character: There is no ? in font nullfont!  
Missing character: There is no ? in font nullfont!  
[1

{/usr/local/texlive/2012/texmf-var/fonts/map/pdftex/updmap/pdftex.map}]

LaTeX Warning: File `figsamp.eps' not found on input line 368.

! LaTeX Error: File `figsamp.eps' not found.

See the LaTeX manual or LaTeX Companion for explanation.  
Type H <return> for immediate help.

...

1.368 ...raphics[width=.4\textwidth]{figsamp.eps}}

Try typing <return> to proceed.  
If that doesn't work, type X <return> to quit.

! LaTeX Error: Cannot determine size of graphic in figsamp.eps (no BoundingBox)  
.

See the LaTeX manual or LaTeX Companion for explanation.  
Type H <return> for immediate help.

...

1.368 ...raphics[width=.4\textwidth]{figsamp.eps}}

Try typing <return> to proceed.  
If that doesn't work, type X <return> to quit.

File: figsamp.eps Graphic file (type eps)  
<figsamp.eps>

Missing character: There is no F in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no g in font nullfont!  
Missing character: There is no . in font nullfont!  
Missing character: There is no l in font nullfont!  
Missing character: There is no . in font nullfont!

Missing character: There is no L in font nullfont!  
Missing character: There is no K in font nullfont!  
Missing character: There is no B in font nullfont!  
Missing character: There is no l in font nullfont!  
Missing character: There is no p in font nullfont!  
Missing character: There is no h in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no p in font nullfont!  
Missing character: There is no h in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no y in font nullfont!  
Missing character: There is no l in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no T in font nullfont!  
Missing character: There is no h in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no - in font nullfont!  
Missing character: There is no l in font nullfont!  
Missing character: There is no 7 in font nullfont!  
Missing character: There is no 2 in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no f in font nullfont!  
Missing character: There is no A in font nullfont!  
Missing character: There is no M in font nullfont!  
Missing character: There is no P in font nullfont!  
Missing character: There is no K in font nullfont!

! Font OTl/tir/m/it/8=tii at 8.0pt not loadable: Metric (TFM) file not found.  
<to be read again>

relax

1.370 and activates its kinase activity.}

\label{afoto}

I wasn't able to read the size data for this font,  
so I will ignore the font specification.

[Wizards can fix TFM files using TFtoPL/PLtoTF.]

You might try inserting a different font spec;

e.g., type ``I\font<same font id>=<substitute font name>'`.

Missing character: There is no i in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no v in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no d in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no c in font nullfont!

Missing character: There is no t in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no v in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no k in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no c in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no v in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no y in font nullfont!  
Missing character: There is no . in font nullfont!

LaTeX Warning: File `figsamp.eps' not found on input line 375.

! LaTeX Error: File `figsamp.eps' not found.

See the LaTeX manual or LaTeX Companion for explanation.  
Type H <return> for immediate help.

...

1.375 ...raphics[width=.7\textwidth]{figsamp.eps}}

Try typing <return> to proceed.  
If that doesn't work, type X <return> to quit.

! LaTeX Error: Cannot determine size of graphic in figsamp.eps (no BoundingBox)  
.

See the LaTeX manual or LaTeX Companion for explanation.  
Type H <return> for immediate help.

...

1.375 ...raphics[width=.7\textwidth]{figsamp.eps}}

Try typing <return> to proceed.  
If that doesn't work, type X <return> to quit.

File: figsamp.eps Graphic file (type eps)  
<figsamp.eps>



[illegible]

[illegible]

[illegible]

[illegible]





[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[2  
Non-PDF special ignored!]  
Missing character: There is no F in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no l in font nullfont!  
Missing character: There is no i in font nullfont!  
Missing character: There is no n in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no A in font nullfont!  
Missing character: There is no u in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no h in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no P in font nullfont!  
Missing character: There is no N in font nullfont!  
Missing character: There is no A in font nullfont!  
Missing character: There is no S in font nullfont!  
Missing character: There is no I in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no u in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no D in font nullfont!  
Missing character: There is no a in font nullfont!  
Missing character: There is no t in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no V in font nullfont!  
Missing character: There is no o in font nullfont!  
Missing character: There is no l in font nullfont!  
Missing character: There is no u in font nullfont!  
Missing character: There is no m in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no I in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no s in font nullfont!  
Missing character: There is no u in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no N in font nullfont!  
Missing character: There is no u in font nullfont!  
Missing character: There is no m in font nullfont!  
Missing character: There is no b in font nullfont!  
Missing character: There is no e in font nullfont!  
Missing character: There is no r in font nullfont!  
Missing character: There is no 3 in font nullfont!

[3  
Non-PDF special ignored!] (./PNASTWOS.aux)

LaTeX Font Warning: Some font shapes were not available, defaults substituted.

LaTeX Warning: There were undefined references.

LaTeX Warning: Label(s) may have changed. Rerun to get cross-references right.

)

Here is how much of TeX's memory you used:

2446 strings out of 493488  
30917 string characters out of 3141326  
112213 words of memory out of 3000000  
5726 multiletter control sequences out of 15000+200000  
12259 words of font info for 46 fonts, out of 3000000 for 9000  
957 hyphenation exceptions out of 8191  
38i,10n,24p,234b,295s stack positions out of 5000i,500n,10000p,200000b,50000s  
</usr/local/texlive/2012/texmf-dist/fonts/type1/public/amsfonts/cmextra/cmex9  
.pfb></usr/local/texlive/2012/texmf-dist/fonts/type1/public/amsfonts/cm/cmmi5.p  
fb></usr/local/texlive/2012/texmf-dist/fonts/type1/public/amsfonts/cm/cmmi6.pfb  
></usr/local/texlive/2012/texmf-dist/fonts/type1/public/amsfonts/cm/cmmi8.pfb><  
/usr/local/texlive/2012/texmf-dist/fonts/type1/public/amsfonts/cm/cmmi9.pfb></u  
sr/local/texlive/2012/texmf-dist/fonts/type1/public/amsfonts/cm/cmr5.pfb></usr/  
local/texlive/2012/texmf-dist/fonts/type1/public/amsfonts/cm/cmr6.pfb></usr/loc  
al/texlive/2012/texmf-dist/fonts/type1/public/amsfonts/cm/cmr8.pfb></usr/local/  
texlive/2012/texmf-dist/fonts/type1/public/amsfonts/cm/cmr9.pfb></usr/local/tex  
live/2012/texmf-dist/fonts/type1/public/amsfonts/cm/cmsy5.pfb></usr/local/texli  
ve/2012/texmf-dist/fonts/type1/public/amsfonts/cm/cmsy6.pfb></usr/local/texlive  
/2012/texmf-dist/fonts/type1/public/amsfonts/cm/cmsy8.pfb></usr/local/texlive/2  
012/texmf-dist/fonts/type1/public/amsfonts/cm/cmsy9.pfb></usr/local/texlive/201  
2/texmf-dist/fonts/type1/public/amsfonts/symbols/msbm10.pfb></usr/local/texlive  
/2012/texmf-dist/fonts/type1/public/amsfonts/symbols/msbm7.pfb>

Output written on PNASTWOS.pdf (3 pages, 125517 bytes).

PDF statistics:

74 PDF objects out of 1000 (max. 8388607)  
53 compressed objects within 1 object stream  
0 named destinations out of 1000 (max. 500000)  
1 words of extra memory for PDF output out of 10000 (max. 10000000)